







航空运输条件鉴别报告书

Identification and Classification Report for Air Transport of Goods

此报告本年度有效 有效期至2015年12月31日

报告编号:

PEKSZ20150626006ZD0001
Issued No.:

な 42 口 HI

2015.06.26

签发日期:

Issued Date:

委托单位:

Applicant:

物品名称:

可充电锂聚合物电池BL1200P4054481S1PCAC

Name of Goods:

RECHARGEABLE LI-POLYMER BATTERY BL1200P4054481S1PCAC

北京迪捷姆空运技术开发有限公司

Beijing DGM Air Transport Technology Co.Ltd

第1页共4页



有效 月31日

报告书使用约定

Terms of the Using of the Report

 本公司依据本年度国际航协《危险品规则》以及委托人(托运人或其代理人)提供的物品及其运输信息,确定 货物的航空运输条件并出具此报告书。

The report is issued by DGM China according to IATA *Dangerous Goods Regulations* published in the current year and the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

2. 依据鉴别的需要,本公司要求委托人提供真实、完整的货物样品及资料。

According to the demand of identification and classification, DGM China requires the applicant to provide true and exact sample and data of the cargo.

3. 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。

The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.

4 本公司仅对样品的鉴别结果负责。

DGM China is only responsible for the identification and classification of the sample provided by the applicant.

5. 本报告书经主检员、审核人和批准人签字并加盖本公司印章后生效。

This report will be effective only after it is signed by the inspector, checker and approver, and stamped by DGM China.

5. 未经本公司书面批准,不得复制本报告书。

The duplicating of this report is prohibited without the written approval of DGM China.

7. 私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。

The report is invalid when anything of the following happens - illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.

8. 为适应国际航协《危险品规则》的年度变化,报告书仅在本年度内有效。

This report is only valid within the year in which the IATA Dangerous Goods Regulations is effective.

地址:北京首都国际机场货运北路天竺综合保税区BGS货运楼249室

邮编: 101300

电话: 010-69479673

传真: 010-69479621

网 址: www.dgmchina.com.cn

E-mail: test@dgmchina.com.cn

第2页共4页



-	n'
-	ï
2	ű.
5	ı.
4	Ĭ.
9	
	١
- 1	Č.
2	N.
2	l.
7	

北京迪捷姆空运技术升发。	H R A FI		*	
项目编号 Item No.	PEKSZ20150626006			
鉴别目的 Identification Purpose	是否属于航空运输危险物品 Dangerous Goods or not restricted	鉴别日期 Identification Date	2015. 06. 26	
鉴别依据 Identification Criteria	IATA DGR 56th, 2015			
中文 Chinese	可充电锂聚合物电池BL1200P4054481S1PCAC			
Name of Goods 英文 English	RECHARGEABLE LI-POLYMER BATTERY BL1200P40	54481S1PCAC		
生产厂家 Manufacturer	The state of the s			
件数 Pieces		注:本栏内容为托运人或委托人在使用本报告时候填写的运输信息,不属于鉴定内容。运输息与报告书的关联性以及实际运输货物与报告的一致性由托运人或委托人保证,如发生任何一致由托运人或委托人承担全部责任。(请认		
运单号 Air waybill No.				
目的港 Destination		填写本栏内容,并盖章) 负责人: 联系方式:		
物品信息 Nature of the goods	该样品为银色长方体带有导线电芯。型号: BL1200P4054481S1PCAC尺寸: 54.0×48.5×4.1mm每包装件中电池/电芯数量:2(注: 该锂电芯不属于召回的锂电芯且按照芯已经做好防短路措施并装入坚固的包装告由GL0BTEK, INC. 提供,报告编号: RSZBHST150600VERPACK。该电芯由塑料袋单独包装,以This sample is silvery cuboid with leModel: BL1200P4054481S1PCACSize: 54.0×48.5×4.1mmNumber of batteries / cells per packa	内,电芯已固定且不能位 HST150605121。该电芯的 5121-1。每包装件电芯 防止短路。) ads cell	过移。该电芯的UN38.3检验报的1.2米跌落测试报告由	



11
告
. H
出至
217

	目编号 m No.	PEKSZ20150626006					
物品 名称	中文 Chinese	可充电锂	里聚合物电池BL1200P4054481S1PCAC				
Name of Goods	英文 English	RECHARGE.	ABLE LI-POLYMER BATTERY BL1200P4054481S1PCAC				
	引结论 clusions	米跌落试 每票货物 件破子 This goo cell is CRITERIA in any o contents labelled Each con the pack is damag special inspecti a teleph	锂离子/聚合物电芯,单独包装。额定瓦特验,每个包装件上均有锂电池操作标签。均有随附文件说明:包装件内装锂离子电应采取的特殊措施,包括必要时的检查和过符合包装说明965第II部分。 ds is lithium ion/polymer cell, packe of a type proved to meet the Require, Part III, sub-section 38.3, Each parientation without damage to the cel so as to allow cell to cell contact with lithium battery handing label. signment is accompanied with a docum age contains lithium ion cells; age must be handled with care, and ted; procedures must be followed in the eon and repacking if necessary; and one number for additional informatio ion batteries in compliance with Sec	思芯; 必须小心操作。如包装件破重新包装;应急电话号码 ed individually.Watt-hour ratements of each test in the UNackage is capable of withstand is contained therein, without and without release of containent with an indication that: that a flammability hazard exevent the package is damaged, on	t损,有易燃危险 ing is 4.44Wh,l MANUAL OF TES' ding a 1.2m dre t shifting of ents, Each pack	性;包装 Each IS AND op test the kage is	
Suggestion for Transport Condition 注意:			运输专用名称 Proper Shipping Name		类或项 Class or Div. (次要危险性) (Subsidiary Risk	包装等 Packing Group	
	/				/	/	
	for Net VV per	客货机					
	包装说明 Packing Inst.		Passenger and Cargo Aircraft 仅限货机 Cargo Aircraft only	/			
	注意事项 Remarks		电池或电芯必须加以保护,防止短路. 设备必须采取措施防止意外启动. Batteries or cells must be protected so as to prevent short circuits, and the equipment must be equipped with an effective means of preventing accidental activation.				
					M. Black of the	A. Carrier	

制单: 邓琼

第4页共4页















Gioblek, inc.

Rechargeable LI-polymer Battery MODEL NO: EL 1200P4054481S1PCAC PART NO: BL1200P4054481S1PCAC

3.7Vdc 1200mAh 4.44Wh IEC designation: 1/CP5/49/54

CAUTION

May explode if disposed of in fire

Use specified charger only Do not short circuit

MADE IN CHINA

er all a Disord A Valle

Red(+), Slack(-), Yellow(T)

201506



