

空运  
By Air

NO.212400227193712



仅限货机  
CAO



# 运输危险性鉴定书

Hazard Classification and  
Identification Report for Transport of Goods

## 危险品

样品名称 : 锂离子电池包 BL2600C1865001S2PRML 3.63V 5200mAh 18.876Wh

Sample name: Lithium-ion Battery Pack BL2600C1865001S2PRML 3.63V 5200mAh 18.876Wh

委托单位 : 环球特科(苏州)电源科技有限公司  
Globtek (Suzhou) Co., Ltd

生产单位 : 环球特科(苏州)电源科技有限公司  
Globtek (Suzhou) Co., Ltd



Witness Better Life  
**SICIT**

**上海化工院检测有限公司**  
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.

空运  
By Air

空运  
By Air

# 运输危险性鉴定书

NO. 212400227193712

Hazard Classification and Identification Report  
for Transport of Goods

Page 1/3

样品名称 Sample Name	中文 Chinese	锂离子电池包 BL2600C1865001S2PRMI. 3.63V 5200mAh 18.876Wh				
	英文 English	Lithium-ion Battery Pack BL2600C1865001S2PRMI. 3.63V 5200mAh 18.876Wh				
委托单位 Applicant		环球特科(苏州)电源科技有限公司 Globtek (Suzhou) Co., Ltd				
生产单位 Manufacturer		环球特科(苏州)电源科技有限公司 Globtek (Suzhou) Co., Ltd				
检验方法、程序 Inspection method and procedure		国际航空运输协会《危险品规则》65版 IATA Dangerous Goods Regulations (DGR) 65th Edition				
样品外观 Sample appearance		蓝色塑料薄膜外壳 Blue Plastic film shell				
包装件信息 Package information		锂电池总净重≤10kg. Lithium batteries total net weight≤10kg.				
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	单颗重量kg Unit weight	数量 Quantity
1	可充电锂离子电池组 Rechargeable Li-ion battery	BL2600C1865001S2PRMI	5200mAh 18.876Wh	电池单独运输 Battery only	0.113	54
鉴定结论 I D E N T I F I C A T I O N C O N C L U S I O N	1. 危险性识别 (Hazards identification) 杂项。 Miscellaneous.					
	2. 空运按照国际航空运输协会《危险品规则》办理的类项 (Suggestion according to IATA DGR) Shipping Name: Lithium ion batteries Class or Division: 9 UN Number: UN3480					
	3. 包装要求 (Packaging requirements) 按包装说明965第IB部分要求办理。 The article is packaged according to the Packaging Instruction 965 section IB. 仅限货机 Cargo Aircraft Only					
备注 Comment		<p>检验日期: 2024-01-22      签发日期: 2024-01-22      生效日期: 2024-01-22</p> <p>Inspection Date:      Issue Date:      Effective Date:</p>				

上海化工院检测有限公司



批准 Approver: 毛泉

审核 Checker: 董学胜

主检 Appraiser: 孙清



# 运输危险性鉴定书

Hazard Classification and Identification Report  
for Transport of Goods

NO. 212400227193712

Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>本鉴定书所述锂电池按照《危险品规则》(65版) 3.9.2.6.1(e)规定的质量管理体系进行制造。 本鉴定书所述锂电池不属于因安全原因召回的锂电池。 本鉴定书所述锂电池不进行以回收或处置为目的的航空运输, 不属于废弃锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 65th 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons. Lithium cells and batteries listed in this report are not waste lithium cells or batteries, and they will not be shipped for recycling or disposal.</p>
2	<p>本鉴定书所述锂电池已通过联合国《试验和标准手册》第III部分38.3小节相应测试要求。 包装件能够承受1.2m跌落试验。包装件能够承受《危险品规则》包装说明965 IB中所要求的堆码试验。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. The package has passed the 1.2m drop test. The package has passed the stacking test required in PI 965 IB of DGR. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 812300200139773 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.</p> 
3	<p>锂电池完全封装在内包装内, 位于坚固的刚性外包装中。 电池具有适当的防短路措施。 Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong rigid outer packaging. Cells and batteries are properly protected to prevent short circuits.</p>
4	<p>按DGR IB部分托运的电池必须根据第8部分规定在托运人申报单中描述; 并且当使用航空货运单时, 货运单必须包含8.2.1和8.2.2中相关适用要求。 Cells or batteries shipped under the provisions of Section IB in IATA DGR must be described on a Shipper's Declaration as set out in Section 8, and the air waybill, when used, must contain the applicable information required by 8.2.1 and 8.2.2.</p>
5	<p>除使用9类锂电池危险性标签(DGR图7.3.X)外, 每个包装件必须按DGR图7.1.C所示做耐久清晰的标记。注: 63版DGR图7.1.C所示锂电池标记可继续使用至2026年12月31日。 每个包装件必须按DGR7.1.4.1(a)和(b)要求标记, 此外当7.1.4.1(c)有要求时还必须标明包装件净重。 每个包装件必须贴有“仅限货机”标签(DGR图7.4.B)。 Each package must be durably and legibly marked with the mark shown in Figure 7.1.C in IATA DGR in addition to the Class 9-Lithium Battery hazard label (Figure 7.3.X in IATA DGR). Note: The mark illustrated in Figure 7.1.C of the 63rd edition of DGR may continue to be used until 31 December 2026. Each package must be marked in accordance with the requirements of 7.1.4.1(a) and (b) in IATA DGR and in addition the net weight when required by 7.1.4.1(c) must be marked on the package. Each package must be labelled with the "Cargo Aircraft Only" label (Figure 7.4.B in IATA DGR).</p>
6	<p>根据委托单位声明, 本鉴定书所述锂离子电池交付运输时, 其荷电状态必须不超过额定容量的30%。 According to the statement of the applicant, lithium ion cells and batteries listed in this report must be offered for transport at a state of charge (SoC) not exceeding 30% of their rated capacity.</p>
7	<p>电池不得与第1类爆炸品(1.4S项除外), 2.1项易燃气体, 第3类易燃液体, 4.1项易燃固体或5.1项氧化性物质等危险品包装在同一外包装或集合包装内。 Cells and batteries must not be packed in the same outer packaging or overpack with dangerous goods classified in Class 1 (explosives) other than Division 1.4S, Division 2.1 (flammable gases), Class 3 (flammable liquids), Division 4.1 (flammable solids) or Division 5.1 (oxidizers).</p>

-验证码:436403-

运输危险性鉴定书  
Hazard Classification and Identification Report  
for Transport of Goods

NO. 212400227193712

Page 3/3



\*\*\*报告结束\*\*\*

