



# 运输危险性鉴定书

Hazard Classification and  
Identification Report for Transport of Goods

## 锂电池类物品

样品名称 : 锂离子电池包 BL2600C1865001S2PRML 3.63V 5200mAh 18.876Wh

Sample name: Lithium-ion Battery Pack BL2600C1865001S2PRML 3.63V 5200mAh 18.876Wh

委托单位 : 环球特科(苏州)电源科技有限公司  
Globtek (Suzhou) Co., Ltd

生产单位 : 环球特科(苏州)电源科技有限公司  
Globtek (Suzhou) Co., Ltd



上海化工院检测有限公司  
SHANGHAI INSTITUTE OF CHEMICAL INDUSTRY TESTING CO.,LTD.



# 运输危险性鉴定书

Hazard Classification and Identification Report  
for Transport of Goods

NO. 212400891154139

Page 1/3

|  |   |  |                               |                        |
|--|---|--|-------------------------------|------------------------|
| 样品名称<br>Sample Name                        | 中文<br>Chinese   | 锂离子电池包 BL2600C1865001S2PRML 3.63V 5200mAh 18.876Wh                   |                               |                        |
|  | 英文<br>English   | Lithium-ion Battery Pack BL2600C1865001S2PRML 3.63V 5200mAh 18.876Wh |                               |                        |
| 委托单位<br>Applicant                          | 环球特科(苏州)电源科技有限公司<br>Globtek (Suzhou) Co., Ltd   |  |                               |                        |
| 生产单位<br>Manufacturer                       | 环球特科(苏州)电源科技有限公司<br>Globtek (Suzhou) Co., Ltd   |  |                               |                        |
| 检验方法、程序<br>Inspection method and procedure | 国际海事组织《国际海运危险货物规则》(2022版)<br>IMO International Maritime Dangerous Goods Code (2022 Edition)   |  |                               |                        |
| 样品外观<br>Sample appearance                  | 蓝色塑料薄膜外壳<br>Blue Plastic film shell   |  |                               |                        |
| 包装件信息<br>Package information               | 重量≤30kg.<br>weight ≤30kg.   |  |                               |                        |
| 序号<br>NO.                                  | 电池种类<br>Battery type  | 型号<br>Model  | 容量Capacity<br>/ 锂含量Li content | 放置方式<br>Placement      |
| 1  | 可充电锂离子电池组<br>Rechargeable Li-ion<br>battery   | BL2600C1865001S2PRML   | 5200mAh 18.876Wh              | 电池单独运输<br>Battery only |
| 鉴定<br>结论                                   | 1. 危险性识别 (Hazards identification)<br>锂离子电池。<br>Lithium ion battery.   |  |                               |                        |
|  | 2. 海运按照国际海事组织《国际海运危险货物规则》办理的类项 (Suggestion according to IMO IMDG Code)<br>根据特殊规定188, 该物品不受IMO IMDG Code其他条款限制。<br>The article is not subject to other provisions of IMO IMDG Code according to special provision 188. |  |                               |                        |
|  | 3. 包装要求 (Packaging requirements)<br>无。<br>None.   |  |                               |                        |
| 检验日期:<br>Inspection Date:                  |   | 2024-01-22   | 签发日期:<br>Issue Date:          | 2024-01-22             |
|  |   |  | 生效日期:<br>Effective Date:      | 2024-01-22             |
| 备注<br>Comment                              |   |  |                               |                        |

批准  
Approver: 毛军

审核  
Checker: 董学胜

主检  
Appraiser: 孙清



# 运输危险性鉴定书

Hazard Classification and Identification Report  
for Transport of Goods

NO. 212400891154139

Page 2/3

| 序号<br>No. | 检验结果及其他事项<br>Inspection results and other things  |
|-----------|---|
| 1         | <p>本鉴定书所述锂电池按照《国际海运危险货物规则》(2022版) 2.9.4.5规定的质量管理体系进行制造。<br/>Lithium cells and batteries listed in this report were manufactured under the quality management program described in IMDG CODE 2022 EDITION 2.9.4.5.</p>   |
| 2         | <p>本鉴定书所述锂电池已通过联合国《试验和标准手册》第III部分38.3小节相应测试要求。<br/>包装件能够承受1.2m跌落试验。<br/>Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3.<br/>The package has passed the 1.2m drop test.<br/>UN38.3试验概要编号<br/>The UN38.3 Test Summary No. (s)<br/>812300200139773<br/>详细信息请扫描右侧二维码。<br/>Please scan the QR code on the right for more information.</p>    |
| 3         | <p>锂电池完全封装在内包装内, 位于坚固的外包装中。<br/>Lithium cells and batteries are packed in inner packagings that completely enclose the cell or battery and placed in a strong outer packaging.</p>  |
| 4         | <p>电池具有适当的防短路措施。<br/>Cells and batteries are properly protected to prevent short circuits.</p>  |
| 5         | <p>每个包装件必须标示恰当的锂电池标记。<br/>装有锂电池的包装件, 符合国际民航组织《危险物品安全航空运输技术细则》第4部分第11章的包装说明965或968第1B部分规定的, 黏贴5.2.1.10(锂电池标记)和5.2.2.2所示的9A型标签, 应视为符合本特殊规定188的规定。注:《国际海运危险货物规则》(2020版)5.2.1.10中显示电话号码附加信息的锂电池标记, 可继续使用至2026年12月31日。<br/>Each package shall be marked with the appropriate lithium battery mark.<br/>Packages containing lithium batteries packed in conformity with the provisions of part 4, chapter 11, packing instructions 965 or 968, section 1B of the ICAO Technical Instructions for the Safe Transport of Dangerous Goods by air that bear the mark as shown in 5.2.1.10(lithium battery mark) and the label shown 5.2.2.2, Model No. 9A shall be deemed to meet the provisions of this special provision 188. Note: The mark shown in 5.2.1.10(lithium battery mark) of the IMDG CODE 2020 EDITION, showing the telephone number for additional information, may continue to be applied until 31 December 2026.</p> |
| 6         | /   |
| 7         | /   |

-验证码:383662-





# 运输危险性鉴定书

Hazard Classification and Identification Report  
for Transport of Goods

NO. 212400891154139

Page 3/3



有限公司

\*\*\*报告结束\*\*\*

