



危险物品 DANGEROUS GOODS

仅限货机运输

航空运输条件鉴别报告书

Identification and Classification Report for Air Transport of Goods

报告编号:

PEKSZ202104308781ZC110001

Issued No .:

签发日期:

2021.04.30

Issued Date:

委托单位:

GlobTek, Inc.

Applicant:

GlobTek, Inc.

物品名称:

锂离子电池包 BL7800C1865001S3PAVC 3.63V 7800mAh 28.3Wh

Name of Goods:

Lithium-ion Battery Pack BL7800C1865001S3PAVC 3.63V 7800mAh 28.3Wh

北京迪捷姆空运技术开发有限公司

Beijing DGM Air Transport Technology Development Co., Ltd.



· 度 F12

报告书使用约定

Terms of the Using of the Report

1. 本公司依据本年度国际航协《危险品规则》以及委托人(托运人或其代理人)提供的物品及其运输信息,确定货物的航空运输条件并出具此报告书。

The report is issued by DGM China according to IATA *Dangerous Goods Regulations* published in the current year and the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

2. 依据鉴别的需要,本公司要求委托人提供真实、完整的货物样品及资料。

According to the demand of identification and classification, DGM China requires the applicant to provide true and exact sample and data of the cargo.

3. 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。

The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.

4. 本公司仅对样品的鉴别结果负责。

DGM China is only responsible for the identification and classification of the sample provided by the applicant.

5. 本报告书经主检员、审核人和批准人签字并加盖本公司印章后生效。

This report will be effective only after it is signed by the inspector, checker and approver, and stamped by DGM China.

6. 未经本公司书面批准,不得复制本报告书。

The duplicating of this report is prohibited without the written approval of DGM China.

7. 私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。

The report is invalid when anything of the following happens - illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.

8. 为适应国际航协《危险品规则》的年度变化,报告书仅在本年度内有效。

This report is only valid within the year in which the IATA Dangerous Goods Regulations is effective.

地址:北京首都国际机场货运北路天竺综合保税区BGS货运楼249室 邮编: 101300

电话: 010-69479673

传真: 010-69479621

网址: www.dgmchina.com.cn

E-mail: test@dgmchina.com.cn



le 的 ion Purpose le依据 ion Criteria 中文 Chinese 英文 English		鉴别日期 Identification Date 63V 7800mAh 28.3Wh	2021. 04. 30				
中文 Chinese 英文	锂离子电池包 BL7800C1865001S3PAVC 3.	63V 7800mAh 28.3Wh					
Chinese 英文		63V 7800mAh 28.3Wh	1/ Li Lin				
			锂离子电池包 BL7800C1865001S3PAVC 3.63V 7800mAh 28.3Wh				
	Lithium-ion Battery Pack BL7800C1865001S3PAVC 3.63V 7800mAh 28.3Wh						
信息 the goods	额定容量的30%。 (注:该锂电池不属于召回的锂电池且按照已经做好防短路措施并装入坚固的包装内,电池的UN38.3报告由深圳立讯检测股份有限公司出身包装,以防止短路。)该电池的UN38.3试验概要由深圳立讯检测用This sample is white almost cuboid ba Model: BL7800C1865001S3PAVC Size: 67.6×55.4×18.7 mm	DGR3.9.2.6 (e) 规定的质量电池已固定且不能位移。单限公司出具,报告编号: LCS: 具,报告编号: LCS: LCS: LCS: LCS: LCS: LCS: LCS: LCS	体系进行制造。同时,该电池 4块电池的重量约为142g。该 210414109ASA100,1.2米跌落 9ASB100。该电池由纸盒单独				
		型号: BL7800C1865001S3PAVC 尺寸: 67.6×55.4×18.7 mm 每包装件中电池/电芯数量: 48 每包装件中电池/电芯净重: 6.82kg 根据委托方所提供的声明: 本报告所述锂产额定容量的30%。 (注: 该锂电池不属于召回的锂电池且按照已经做好防短路措施并装入坚固的包装内,电池的UN38.3报告由深圳立讯检测股份有限公司出身包装,以防止短路。) 该电池的UN38.3试验概要由深圳立讯检测股份有限公司出身包装,以防止短路。) 该电池的UN38.3试验概要由深圳立讯检测度This sample is white almost cuboid bat Model: BL7800C1865001S3PAVC Size: 67.6×55.4×18.7 mm Number of batteries / cells per packa	型号: BL7800C1865001S3PAVC 尺寸: 67.6×55.4×18.7 mm 每包装件中电池/电芯数量: 48 每包装件中电池/电芯净重: 6.82kg 根据委托方所提供的声明: 本报告所述锂离子电池(或电芯)交付运输额定容量的30%。 (注: 该锂电池不属于召回的锂电池且按照DGR3.9.2.6 (e)规定的质量已经做好防短路措施并装入坚固的包装内,电池已固定且不能位移。单电池的UN38.3报告由深圳立讯检测股份有限公司出具,报告编号: LCS21041410包装,以防止短路。) 该电池的UN38.3试验概要由深圳立讯检测股份有限公司出具,详见附近This sample is white almost cuboid battery. Model: BL7800C1865001S3PAVC Size: 67.6×55.4×18.7 mm Number of batteries / cells per package: 48				



项目编号 Item No.		PEKSZ202104308781			
中文 物品名称 Name of		锂离子电池包 BL7800C1865001S3PAVC 3.63V 78	00mAh 28.3Wh		
Goods	英文 English	Lithium-ion Battery Pack BL7800C1865001S3P	AVC 3.63V 7800mAh 28.3Wh		
	別结论 clusions	该货物为锂离子/聚合物电池,单独包装。额定瓦特小时为验,每个包装件上均有锂电池标记。 参考有关资料,根据DGR有关规定,该物质分类识别为第9. This goods is lithium ion/polymer battery, packed in of a type proved to meet the Requirements of each III, sub-section 38.3, Each package is capable of widamage to the cells contained therein, without shic contact and without release of contents, Each package According to IATA DGR this substance is classified.	类(或项)危险品,UN3480。 ndividually.Watt-hour rating is test in the UN MANUAL OF TESTS thstanding a 1.2m drop test in fting of the contents so as to ge is marked with lithium batte	s 28.3Wh.Each l AND CRITERIA, any orientatic allow cell to bry mark.	battery i Part on withou cell
		TO SERVICE CONTROL OF THE PROPERTY OF THE PROP			
	UN/ID 编号 UN/ID No.	运输专用名称 Proper Shipping Name		类或项 Class or Div. (次要危险性) (Subsidiary Risk)	Packing
事心 污鈴	The state of the s			Class or Div. (次要危险性)	
条件	UN/ID No. UN3480	Proper Shipping Name Lithium ion batteries 客货机 Passenger and Cargo Aircraft		Class or Div. (次要危險性) (Subsidiary Risk)	
条件 uggestion for Transport	UN/ID No. UN3480	Proper Shipping Name Lithium ion batteries 客货机 Passenger and Cargo Aircraft		Class or Div. (次要危險性) (Subsidiary Risk)	Packing
Suggestion	UN/ID No. UN3480	Proper Shipping Name Lithium ion batteries 客货机 Passenger and Cargo Aircraft 仅限货机 Cargo Aircraft only 每一单电池必须做好防 each single battery must be packed in such a wa	Forbidden 965 IB	Class or Div. (次要危险性) (Subsidiary Risk)	Packing Group

制单: 陈晓丹




锂离子电池包 BL7800C1865001S3PAVC 3.63V 7800mAh 28.3Wh

PEKSZ202104308781













UN38.3 Test Summary


UN38.3试验概要

			ny Information 公司信息			
A	GlobTek,Inc.					
Applicant's Name 申请商	186 Veterans Dr. Northvale, NJ 07647 USA					
	Huizhou PowerOak Innovation Co.,Ltd 惠州市新明海科技有限公司					
Manufacturer 制造商	1st, 2nd, 4th & 5th FI (No.1 Workshop) Longsheng 5th Road, Laoshe Village, Dayawan Wes Zone, Huizhou, Guangdong, China 中国广东省惠州市大亚湾西区老輋村龙盛五路(1号厂房)					
//>	Website 网址	www globtek com				
	Telephone Numb 联系电话	er 05°	12-62790301- 9	Email addres 邮件地址	s demon.zhou@globtek.c	
(3)	Shenzhen LCS Compliance Testing Laboratory Ltd. 深圳立讯检测股份有限公司					
Test Laboratory 测试实验室	Room 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei, Shajin Street, Baoan District, Shenzhen, Guangdong, China 广东省深圳市宝安区沙井街道衙边学子围巨基工业园A栋101、201,C栋301					
	Website 网址	DITD'// WWW/ ICS-CEIT COM		Email address 邮件地址	webmaster@lcs-cert.com	
	Telephone Number 联系电话	+(86) 0755-8259 1330		-	+(86) 0755-8259 1332	
the supplied of the late		+(00) 07:	55-8259 1330	Fax 传真	+(86) 0755-8259 1332	
	· · · · · · · · · · · · · · · · · · ·	Battery	55-8259 1330 / Information ^也		+(86) 0755-8259 1332	
Sample name 样品名称	Lithium-Ion Batter 锂离子电池包	Battery ‡ ry Pack	/ Information	传真 作真 lark	+(86) 0755-8259 1332	
	Lithium-Ion Batter	Battery ∉ ry Pack	y Information 且池信息 Trade M 商标	传真 flark tion R	GlobTek; Inc.	
样品名称 Samples Model	Lithium-Ion Batter 锂离子电池包	Battery ∉ ry Pack	/ Information 由池信息 Trade M 商标 Descript 描述 Capac	传真 lark tion R	G GlobTek; Inc.	
样品名称 Samples Model 样品型号 Nominal voltage	Lithium-Ion Batter 锂离子电池包 BL7800C1865001S	Battery ∉ ry Pack	/ Information 包池信息 Trade M 商标 Descript 描述	传真 flark tion Relity ontent	GlobTek; Inc. echargeable Li-ion Battery 可充电锂离子电池	

立讯检测股份 LCS Testing Lab

Test Information 测试信息				
UN Report UN报告号	LCS210414109ASA100	Date of test report UN报告签发日期	2021.04.29	
Standard 标准	Dangerous Goods, Manual of Tes	sed Edition of the Recommendation st and Criteria(ST/SG/AC.10/11/R t议书试验和标准手册》第七修订版	ev.7, Section 38.3)	
T.1 Altitude simulation	PASS	T.5 External short circuit	PASS	
高度模拟	合格	外短路测试	合格	
T.2 Thermal test	PASS	T.6 Crush/ Impact	PASS	
耐热测试	合格	挤压/撞击	合格	
T.3 Vibration	PASS	T.7 Overcharge	N/A	
振动	合格	过度充电	不适用	
T.4 Shock	PASS	T.8 Forced discharge	PASS	
冲击	合格	强制放电	合格	
38.3.3 (f)	N/A 不适用	38.3.3(g)	N/A 水干发术适用	

THE PHOTO OF SAMPLE 样品图片



Signature/ Technical Manager 签名/技术总监

Date of issue 签发日期

2021.04.29

This UN38.3 test summary is basellenging validate tory testing of the sample under test, which excludes the evaluation of other samples of the same series of the samples. This summary must be used in conjunction with the test report. 本UN38.3试验概要基于受试样品检测合格作出的,它不包括对该样品其他同系列样品的评价,本概要必须与相关的测试报告同时使用。

End of report