





# **UN38.3 TEST REPORT** UN38.3 检测报告

Report No.: CMC211008009 报告编号:

Name of sample: LITHIUM MANGANESE DIOXIDE BATTERY

样品名称: 锂二氧化锰电池

Model: CR18505 型号:

Type: 3.0V, 2500mAh 规格:

Client: GlobTek, Inc. 委托单位:

Classification Commission Test of test:

委托检测 检测类别:

Tested by: Approved by: May Huang The Dylan Dou 霎 明記 批准人: 主检人:

Inspected by: Meiko Ma马方威

审核人:

Date of Issue: **Seal of CMC:** 2021.11.12 签发日期: CMC 印章:

CMC Testing International (Shenzhen) Co., Ltd.

众检检验认证 (深圳) 有限公司

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China Version: A/2.0

中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com 1 / 19 www.cmczj-lab.com



# **TEST REPORT** 检测报告

	1	1	<u> </u>	1					
Name of Samples 样品名称	LITHIUM MANG DIOXIDE BATT 锂二氧化锰电池	ERY	Model 型号	CR18505					
Commissioner 委托单位	GlobTek, Inc.	GlobTek, Inc.							
Commissioner's Address 委托单位地址	186 Veterans D	0r. Northvale, NJ 07	647 USA						
Manufacturer 制造商	WUHAN FORT 武汉孚特锂能科	E BATTERY CO., L  技有限公司	TD						
Manufacturer's Address 制造商地址	OF NATION RO	PLANT NO.1 OF AIR CONDITIONING PLASTIC MOLDING PROJECT, BETWEEN EAST OF NATION ROAD 107 AND SOUTH OF CHANDONG ROAD, DONGSHAN OFFICE INDUSTRIAL ZONE, DONGXIHU DISTRICT, WUHAN CITY, HUBEI 湖北省武汉市东西湖区东山办事处工业区 107 国道以东、陈东公路以南空调注塑件生产项目厂房一							
Manufacturer's Contact Telephone 制造商联系电话	+86-512-6	2790301-189	E-mail 邮箱 Web 网址		u@globtek.cn				
Trade Mark 商标	GlobTek, Inc.	Shape 形状	Cylindrical 圆柱形	Size 尺寸 (D×T)	(18.0×50.5)mm				
Nominal Voltage 标称电压	3.0V	Rated Capacity 额定容量	2500mAh	Lithium content 锂含量	0.75g				
Cell Model 电池型号	CR18505	Cell Nominal Voltage 电池标称电压	Cell Rated Capacity 电池额定容量	2500mAh					
Cells Number 电池数量	1PC	Sample Receiving Date 样品接收日期	2021.10.08	7 Testing Date 测试日期 2021.10					
Test conclusion 检测结论	The test results are qualified. 检测结果为合格。								

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China Version: A/2.0



#### Test Standard 检测标准

UNITED NATIONS "Recommendations on the TRANSPORT OF DANGEROUS GOODS Manual of Tests and Criteria" Seventh revised edition (ST/SG/AC.10/11/Rev.7).

联合国《关于危险货物运输的建议书 试验和标准手册》第七修订版 (ST/SG/AC.10/11/Rev.7)。

Description and illustration of the sample: The sample's status is good.

样品说明及描述:样品状况良好。

Test item 检测项目	Sample No. 样品编号	State 状态	Remark 备注	
Test 1 ~ Test 5	C001~C010	Undischarged state 未放电状态		
lest i ~ lest 5	C011~C020	Fully discharged state 完全放电状态		
Test 6	C021~C015	Undischarged state 未放电状态		
lest 0	C026~C030	Fully discharged state 完全放电状态		
Test 7		-		
rest 7	-	п п		
Test 8	C031 <mark>~C040</mark>	Fully discharged state 完全放电状态		

CXXX is used as the sample number of cells SN211008009CXXX, "X" is 0~9. CXXX 代表电芯样板编号 SN211008009CXXX,X=0~9。

Description of the deviation	from the standard, if any:
<b>松洞丛田 无</b> <i>校</i> 人 <b>仁 以 元 始</b> 沿	пП

检测结果不符合标准项的说明:

Test environment conditions:

检测环境条件:

20±5°C

Remarks:

备注:

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101 *Version: A/2.0* 

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 3 / 19



ST/SG/AC.10/11/Rev.7/Section 38.3						
Clause 章节	RequirementsResult标准要求测试结果					
38.3.4	Procedure 检测步骤					
38.3.4.1	Test 1: Altitude simulation 检测 1: 高度模拟  Test cells and batteries shall be stored at a pressure of 11.6kPa or less for at least six hours at ambient temperature (20±5°C). 将电池和电池组在温度为 20±5°C,大气压力为不大于 11.6kPa 的环境中贮存不少于 6 小时。					
	Requirements 标准要求: 1) Cells and batteries Mass loss limit reference: Table 38.3.1 样品质量损失限值参考:表 38.3.1 2) Open circuit voltage not less than 90%, The requirement relating to voltage is not applicable to test cells and batteries at full discharged states. 样品试验后开路电压应不低于试验前开路电压的 90%,此要求不适用于完全放完电的电池或电池组。 3) No leakage, no venting, no disassembly, no rupture and no fire.样品(电池)应无漏液、无排气、无解体、无破裂以及无起火现象的发生。	The samples C001~C020: No leakage, no venting, no disassembly, no rupture and no fire. 编号为 C001~C020 的样品: 无漏液、无排气、无解体、无破裂以及无起火现象。 The data is shown in Test T.1 数据见表 T.1	Pass 合格			

## 38.3.4.2 Test 2: Thermal test

检测 2: 热冲击

Test cells and batteries are to be stored for

电池和电池组存储条件如下:

1) For small cells and batteries: one temperature cycle: 72±2°C (6h) ~ -40±2°C (6h)

对于小型电池和电池组: 一次温度循环为 72±2°C (6h) ~ -40±2°C (6h)

For large cells and batteries: one temperature cycle: 72±2°C (12h) ~ -40±2°C (12h)

对于大型电池和电<mark>池组:一次温度循环为  $72\pm2^{\circ}$ C (12h) ~ -40 $\pm2^{\circ}$ C (12h)</mark>

2) The maximum time interval between test temperature extremes is 30minutes. 温度转换最大间隔时间为 30min。

3) This procedure is to be repeated 10 times. 重复 10 次循环。

4) after which all test cells and batteries are to be stored for 24 hours at ambient temperature (20±5°C). 循环结束后,电池和电池组在 20±5°C 的条件下搁置 24 小时。

Requirement 标准要求:

1) Cells and batteries Mass loss limit reference: Table 38.3.1 样品质量损失限值参考:表 38.3.1

2) Open circuit voltage not less than 90%, The requirement relating to voltage is not applicable to test cells and batteries at full discharged states.

样品试验后开路电压应不低于试验前开路电压的90%,此要求不适用于完全放完电的电池和电池组。

3) No leakage, no venting, no disassembly, no rupture and no fire. 样品(电池)应无漏液、无排气、无解体、无破裂以及无起火现象的发生。

The samples C001~C020: No leakage, no venting, no disassembly, no rupture and no fire.

编号为 C001~C020 的样品: 无漏液、无排气、无解体、无 破裂以及无起火现象。

The data is shown in Table T.2 数据见表 T.2

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China

中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

Version: A/2.0

400-1668-320

info@cmczj-lab.com

www.cmczj-lab.com

4 / 19

Pass

合格



ST/SG/AC.10/11/Rev.7/Section 38.3						
Clause 章节	Requirements 标准要求	Result 测试结果	Verdict 判定			
38.3.4.3	Test 3: Vibration 检测 3: 振动					
		ep between 7Hz and 200Hz Hz 为一个循环,一个循环持续 of 1gn is maintained until 18Hz n total excursion) and the oproximately 50Hz). A peak creased to 200Hz. 不变,直到达到 18Hz。然后将 gn 的峰值加速度(大约 50Hz)。 ntained until 18Hz is reached. rsion) and the frequency bly 25Hz). A peak acceleration OHz. 直到达到 18Hz。然后将振幅保值加速度(大约 25Hz)。然后 of three mutually perpendicular must be perpendicular to the	Pass 合格			

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China

中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320

Version: A/2.0

5 / 19

info@cmczj-lab.com www.cmczj-lab.com



	ST/SG/AC.10/11/Rev.7/Section 3	8.3				
Clause 章节	RequirementsResult标准要求测试结果					
38.3.4.4	Test 4: Shock 检测 4: 冲击					
	1) Test cells and batteries shall be secured to the testing machine. 以稳固的托架固定住每个电池和电池组样品的全部配件表面。 2) Each cell shall be subjected to a half-sine shock of peak acceleration of 150gn and pulse duration of 6 milliseconds. Large cells may be subjected to a half-sine shock of peak acceleration of 50gn and pulse duration of 11 milliseconds. 对每个电池以峰值为 150gn 的半正弦的加速度撞击,脉冲持续 6ms,大型电池须经受最大加速度 50gn 和脉冲持续时间 11ms 的半正弦波冲击。  Small batteries shall be subjected to a half-sine shock of peak acceleration of 150gn (or Acceleration (gn )=√(100050)/(100050), which is smaller) aneration of 50gn (or Acceleration(gn )=√(100050)/(100050), which is smaller) and pulse duration of 6 milliseconds, large batteries shall be subjected to a half-sine of peak accelration of 11 milliseconds.  对每个电池以峰值为 150gn(或与√(100050)/(100050) 中的较小值)的半正弦的加速度撞击,脉冲持续 6ms,大型电池须经受最大加速度 50gn(或与√(100050)/(100050) 中的较小值)和脉冲持续时间 11ms 的半正弦波冲击。 3) Each cell or battery shall be subjected to three shocks in the positive direction followed by three shocks in the negative direction of three mutually perpendicular mounting positions of the cell or battery for a total of 18 shocks.					
	受三次冲击,总共经受 18 次冲击。  Requirements 标准要求:  1) Cells and batteries Mass loss limit reference: Table 38.3.1 样品质量损失限值参考:表 38.3.1  2) Open circuit voltage not less than 90%, The requirement relating to voltage is not applicable to test cells and batteries at full discharged states. 样品试验后开路电压应不低于试验前开路电压的 90%,此要求不适用于完全放完电的电池或电池组。  3) No leakage, no venting, no disassembly, no rupture and no fire. 样品(电池)应无漏液、无排气、无解体、无破裂以及无起火现象的发生。	The samples C001~C020: No leakage, no venting, no disassembly, no rupture and no fire. 编号为 C001~C020 的样品: 无漏液、无排气、无解体、无破裂以及无起火现象。 The data is shown in Table T.4 数据见表 T.4				

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101 *Version: A/2.0* 

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 6 / 19



	ST/SG/AC.10/11/Rev.7/Section 38.3					
Clause 章节	Requirements 标准要求	Result 测试结果	Verdict 判定			
38.3.4.5	Test 5: External Short Circuit 检测 5: 外部短路					
	1) The cell or battery to be tested shall be heated for a period of time necessary to reach a homogeneous stabilized temperature 57±4°C. 加热电池或电池组样品直到温度稳定在 57±4°C 2) The cell or battery shall be subjected to a short circuit condition with a total external resistance of less than 0.1 ohm at 57±4°C, This short circuit condition is continued for at least one hour after the cell or battery external case temperature has returned to 57±4°C. 将样品正负极用小于 0.1Ω 的总电阻回路进行短路,样品的外表温度恢复到 57±4°C 之后保持短路状态 1 小时以上。 3) The cell or battery must be observed for a further six hours for the test to be concluded. 对电池或电池组必须进一步观察 6 个小时才能下结论。					
	The samples C001~C020: No disassembly, no rupture and no fire. 编号为 C001~C020 的样品: 无解体、无破裂以及无起火现象。 The data is shown in Table					

38.3.4.6	Test 6: Impact / C <mark>rush</mark> 检测 6: 撞击/挤压				
	Impact (applicable to cylindrical cells not less than 18mm in diameter) 撞击(适用于直径不小于 18 毫米的圆柱形电池)				
	1) This test sample cell or component cell is to be placed on a 将试验样品用的电池或元件电池放在一个平坦光滑的平面上 2) A 15.8 mm diameter bar is to be placed across the center of be dropped from a height of 61±2.5cm onto the sample. 将一直径为 15.8mm 的不锈钢圆棒横过电池中部放置后,将一质的高度落向样品。 3) The test sample is to be impacted with its longitudinal axis p perpendicular to the longitudinal axis of the 15.8mm ± 0.1mm cacross the center of the test sample. Each sample is to be sub接受撞击的试样,纵轴应与平坦的表面平行并与横放在试样中心的纵轴垂直。每一个试样只经受一次撞击。	the sample, A 9.1kg mass is to 量为 9.1kg 的物体从 61±2.5cm arallel to the flat surface and diameter curved surface lying jected to only a single impact.	Pass 合格		
	Requirements 标准要求:  1) Cells external temperature not exceed 170°C. 电池的最高表面温度应不超过 170°C。  2) No disassembly, no rupture and no fire during the test and within six hours after the test. 测试中与测试后 6 小时内无解体、无破裂、无起火。	The samples C021~C030: No leakage, no venting, no disassembly, no rupture and no fire. 编号为 C021~C030 的样品: 无解体、无起火现象。The data is shown in Table T.6 数据见表 T.6			

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101 *Version: A/2.0* 

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 7 / 19



ST/SG/AC.10/11/Rev.7/Section 38.3				
Clause 章节	RequirementsResult标准要求测试结果	Verdict 判定		
	Crush (applicable to prismatic, pouch, coin/button cells and cylindrical cells less than 18mm in diameter). 挤压(适用于棱柱形、袋装、硬币/纽扣电池和直径小于 18 毫米的圆柱形电池)。			
	1) A cell or component cell is to be crushed between two flat surfaces. The crushing is to be gradual with a speed of approximately 1.5cm/s at the first point of contact. The crushing is to be continued until the first of the three options below is reached. 将电池或元件电池放在两个平面之间挤压,挤压力度逐渐加大,在第一个接触点上的速度大约为 1.5 厘米/秒。挤压持续进行,直到出现以下三种情况之一: (a) The applied force reaches 13kN ± 0.78kN. 施加的力达到 13 千牛顿±0.78 千牛顿。 (b) The voltage of the cell drops by at least 100mV. 电池的电压下降至少 100 毫伏。 (c) The cell is deformed by 50% or more of its original thickness. 电池变形达原始厚度的 50%或以上。 2). A prismatic or pouch cell shall be crushed by applying the force to the widest side. A button/coin cell shall be crushed by applying the force on its flat surfaces. For cylindrical cells, the crush force shall be applied perpendicular to the longitudinal axis. 校柱形或袋装电池应从最宽的一面施压。纽扣/硬币形电池应从其平坦表面施压。圆柱形电池应从与纵轴垂直的方向施压。  Requirements 标准要求: 1) Cells external temperature not exceed 170°C. 电池的最高表面温度应不超过 170°C。 2) No disassembly, no rupture and no fire during the test and within six hours after the test. 测试中与测试后 6 小时内无解体、无破裂、无起火。	N/A 不适用		

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101 *Version: A/2.0* 

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 8 / 19



	ST/SG/AC.10/11/Rev.7/Section 38.3					
Clause 章节	Requirements 标准要求	Result 测试结果	Verdict 判定			
38.3.4.7	Test 7: Overcharge 检测 7: 过充电					
	1) The charge current shall be twice the manufacturer's recommended maximum continuous charge current. 以制造商建议的最大持续充电电流的两倍对样品充电。 2) The minimum voltage of the test shall be as follows: 试验的最小电压如下:					
	a) When the manufacturer's recommended charge voltage is not more than 18V, the minimum voltage of the test shall be the lesser of two times the maximum charge voltage of the battery or 22V. 制造商建议的充电电压不大于 18V 时,试验的最小电压应是电池组最大充电电压的两倍或 22V 两者中的较小者。 b) when the manufacturer's recommended charge voltage is more than 18V, the minimum voltage of the test shall be 1.2 times the maximum charge voltage. 制造商建议的充电电压大于 18V 时,试验的最小电压应为最大充电电压的 1.2 倍。 3) Tests are to be conducted at ambient temperature 20±5°C, The duration of the test shall be 24 hours. 试验应在环境温度(20±5°C)下进行。进行试验的时间应为 24 小时。					
	Requirements 标准要求: No disassembly and no fire during the test and within seven days after the test. 试验过程中和试验后 7 天内无解体,无起火。					

#### 38.3.4.8 Test 8: Forced discharge

检测 8: 强制放电

Each cell shall be forced discharged at ambient temperature by connecting it in series with a 12V D.C. power supply at an initial current equal to the maximum discharge current specified by the manufacturer.

每个电池应在环境<mark>温度(20±5°C)</mark>下与 12V 直流电源串联在起始电流等于制造商给定的最大放电电流的条件下强制放电。

The specified discharge current is to be obtained by connecting a resistive load of the appropriate size and rating in series with the test cell. Each cell shall be forced discharged for a time interval (in hours) equal to its rated capacity divided by the initial test current (in ampere).

将适当大小和额定值的电阻负荷与试验电池串联,计算得出给定的放电电流。对每个电池进行强制放电,放电时间(小时)应等于其额定容量除以初始试验电流(安培)。

Requirements 标准要求:

No disassembly and no fire during the test and within seven days after the test.

试验过程中和试验后7天内无解体,无起火。

The samples C031~C040: no disassembly and no fire. 编号为 C031~C040 的样品: 无解体、无起火现象。
The data is shown in Table T.8
数据见表 T.8

9 / 19

Pass 合格

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101 Version: A/2.0

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com



#### ST/SG/AC.10/11/Rev.7/Section 38.3

#### General terms and definitions 一般术语与定义

# Table 38.3.1:Mass loss limit 表 38.3.1:质量损失限值

Mass M of cell or battery 电池或电池组质量 M	Mass loss limit 质量损失限值		
M < 1 g	0.5%		
1 g ≤ M ≤75 g	0.2%		
M > 75 g	0.1%		

In order to quantify the mass loss, the following procedure is provided:

Mass loss (%) =  $(M_1 - M_2)/M_1 \times 100$ 

质量损失的量化值,可用以下公式计算:

质量损失(%) =  $(M_1 - M_2)/M_1 \times 100$ 

Where M1 is the mass before the test and M2 is the mass after the test. When mass loss does not exceed the values in Table 38.3.1, it shall be considered as "no mass loss".

式中: M1 是试验前的质量, M2 是试验后的质量。如果质量损失不超过表 38.3.1 所列的数值, 应视为"无质量损失"。

Leakage means the visible escape of electrolyte or other material from a cell or battery or the loss of material (except battery casing, handling devices or labels) from a cell or battery such that the loss of mass exceeds the values in Table 38.3.1.

渗漏是指可以看到的电解<mark>液或者其他物质从电池或</mark>电池组中漏出,或电池或电池组中的物质损失(不包括电池外壳、搬运装置、或标签),质量损失超过表 **38.3.1** 所列的数值。

Venting means the release of excessive internal pressure from a cell or battery in a manner intended by design to preclude rupture or disassembly.

排气是指按设计方式释放电池或电池组内部过高的压力,防止其破裂或解体。

Disassembly means a vent or rupture where solid matter from any part of a cell or battery penetrates a wire mesh screen (annealed aluminium wire with a diameter of 0.25 mm and grid density of 6 to 7 wires per cm) placed 25 cm away from the cell or battery.

解体是指排气或破裂使电<mark>池或电池组任何部</mark>分的固体物质穿过放在离电池或电池 25 cm 处的丝网筛(直径 0.25 mm 的软铝丝,网格密度每厘米 6 至 7 条铝丝)。

Rupture means the mechanical failure of a cell container or battery case induced by an internal or external cause, resulting in exposure or spillage but not ejection of solid materials.

破裂是指内部或外部原因引起的电池容器或电池组外壳机械损坏,造成内装物暴露或溢出,但无固体喷射。

Fire means that flames are emitted from the test cell or battery.

起火是指试验电池或电池组有火焰冒出。

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 10 / 19



# Test Data 检测数据

Table T.1 Altitude simulation (表 T.1) 高度模拟

Test		Pre-tes	,	I	it 试验后			
sample status 检测样品 状态	No. 编号	Mass 质量 (g)	Voltage 电压 (V)	Mass 质量 (g)	Voltage 电压 (V)	Mass loss 质量损失 (%)	Change ratio 电压比(%)	Status 结果
	C001	31.425	3.28	31.425	3.28	0.000	100.00	Pass 合格
	C002	31.114	3.28	31.112	3.27	0.006	99.70	Pass 合格
	C003	31.839	3.28	31.838	3.28	0.003	100.00	Pass 合格
Undischar	C004	31.816	3.28	31.816	3.27	0.000	99.70	Pass 合格
ged state	C005	31.114	3.28	31.114	3.28	0.000	100.00	Pass 合格
未放电状 态	C006	31.116	3.28	31.116	3.28	0.000	100.00	Pass 合格
心	C007	31.423	3.27	31.422	3.27	0.003	100.00	Pass 合格
	C008	31.938	3.28	31.938	3.27	0.000	99.70	Pass 合格
	C009	31.979	3.28	31.9 <mark>79</mark>	3.28	0.000	100.00	Pass 合格
	C010	31.867	3.27	31.867	3.27	0.000	100.00	Pass 合格
	C011	31.8 <mark>35</mark>		31.835		0.000		Pass 合格
	C012	31.8 <mark>49</mark>		31.849		0.000		Pass 合格
	C013	31.5 <mark>96</mark>		31.596		0.000		Pass 合格
Fully	C014	31.5 <mark>75</mark>	-	31.575		0.000		Pass 合格
discharged state	C015	31. <mark>798</mark>	1	31.798	-	0.000		Pass 合格
完全放电	C016	31. <mark>762</mark>	1	31.762		0.000		Pass 合格
状态	C017	31.2 <mark>89</mark>		31.289	\	0.000		Pass 合格
	C018	31.3 <mark>65</mark>		31.365		0.000	-	Pass 合格
	C019	31.3 <mark>78</mark>	/	31.378	/	0.000	/	Pass 合格
	C020	31.2 <mark>69</mark>		31.269		0.000		Pass 合格

Notes 注释: Ambient temperature 环境温度: 22.8°C。

After the test, there is no leak<mark>age, no venting, no disassembly, no rupture and no fire. And change ratio is not less than 90 %. 检测后,样品无渗漏、无排气、无解体、无破裂和无起火。电压比不小于 90 %。</mark>

101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 11 / 19



Table T.2 Thermal test (表 T.2) 温度试验

Report No.: CMC211008009

Test		Pre-test 试验前		After test 试验后				
sample status 检测样品 状态	No. 编号	Mass 质量 (g)	Voltage 电压 (V)	Mass 质量 (g)	Voltage 电压 (V)	Mass loss 质量损失 (%)	Change ratio 电压比(%)	Status 结果
	C001	31.425	3.28	31.423	3.28	0.006	100.00	Pass 合格
	C002	31.112	3.27	31.111	3.27	0.003	100.00	Pass 合格
	C003	31.838	3.28	31.835	3.28	0.009	100.00	Pass 合格
Undischar	C004	31.816	3.27	31.815	3.27	0.003	100.00	Pass 合格
ged state	C005	31.114	3.28	31.112	3.27	0.006	99.70	Pass 合格
未放电状 态	C006	31.116	3.28	31.113	3.28	0.010	100.00	Pass 合格
心	C007	31.422	3.27	31.419	3.27	0.010	100.00	Pass 合格
	C008	31.938	3.27	31.936	3.27	0.006	100.00	Pass 合格
	C009	31.979	3.28	31.975	3.27	0.013	99.70	Pass 合格
	C010	31.867	3.27	31.864	3.26	0.009	99.69	Pass 合格
	C011	31.835	1	31.832	-	0.009		Pass 合格
	C012	31.849		31.844	-	0.016		Pass 合格
	C013	31.5 <mark>96</mark>		31.594	-	0.006		Pass 合格
Fully	C014	31.5 <mark>75</mark>		31.573	4	0.006		Pass 合格
discharged	C015	31.798		31.794	-	0.013		Pass 合格
state 完全放电 状态	C016	31.762	\	31.758	\	0.013	-	Pass 合格
	C017	31.289		31.286		0.010	<i>)</i>	Pass 合格
	C018	31.365		31.361		0.013		Pass 合格
	C019	31.378	1	31.375	/	0.010		Pass 合格
	C020	31.2 <mark>69</mark>		31.264		0.016	/ <sub>/</sub> -	Pass 合格

Notes 注释: Ambient temperature 环境温度: 23.1°C。

After the test, there is no leakage, no venting, no disassembly, no rupture and no fire. And change ratio is not less than 90 %. 检测后,样品无渗漏、无排气、无解体、无破裂和无起火。电压比不小于 90 %。

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 12 / 19



Table T.3 Vibration (表 T.3) 振动

Report No.: CMC211008009

Test		Pre-tes	t 试验前	After test 试验后				
sample status 检测样品 状态	编号 质	Mass 质量 (g)	Voltage 电压 (V)	Mass 质量 (g)	Voltage 电压 (V)	Mass loss 质量损失 (%)	Change ratio 电压比(%)	Status 结果
	C001	31.423	3.28	31.422	3.28	0.003	100.00	Pass 合格
	C002	31.111	3.27	31.111	3.27	0.000	100.00	Pass 合格
	C003	31.835	3.28	31.835	3.28	0.000	100.00	Pass 合格
II. Paulas	C004	31.815	3.27	31.812	3.27	0.009	100.00	Pass 合格
Undischar ged state	C005	31.112	3.27	31.110	3.27	0.006	100.00	Pass 合格
未放电状 态	C006	31.113	3.28	31.113	3.28	0.000	100.00	Pass 合格
心	C007	31.419	3.27	31.415	3.27	0.013	100.00	Pass 合格
	C008	31.936	3.27	31.936	3.27	0.000	100.00	Pass 合格
	C009	31.975	3.27	31.975	3.27	0.000	100.00	Pass 合格
	C010	31.864	3.26	31.8 <mark>64</mark>	3.26	0.000	100.00	Pass 合格
	C011	31.832	-	31.832		0.000		Pass 合格
	C012	31.844		31.841		0.009		Pass 合格
	C013	31.594		31.594		0.000		Pass 合格
Fully	C014	31.5 <mark>73</mark>		31.572		0.003		Pass 合格
discharge	C015	31.794		31.794		0.000		Pass 合格
d state 完全放电 状态	C016	31. <mark>758</mark>	\	31.755		0.009	+	Pass 合格
	C017	31. <mark>286</mark>		31.286		0.000	<i>)</i>	Pass 合格
	C018	31. <mark>361</mark>		31.361	\	0.000		Pass 合格
	C019	31. <mark>375</mark>	1	31.375		0.000		Pass 合格
	C020	31. <mark>264</mark>		31.264	)	0.000	/	Pass 合格

Notes 注释: Ambient temperature 环境温度: 23.0°C。

After the test, there is no leakage, no venting, no disassembly, no rupture and no fire. And change ratio is not less than 90 %. 检测后,样品无<mark>渗漏、无排气、无</mark>解体、无破裂和无起火。电压比不小于 90 %。

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 13 / 19



Table T.4 Shock (表 T.4) 冲击

Report No.: CMC211008009

Test		Pre-tes	t 试验前	After test 试验后				
sample status 检测样品 状态	No. 编号	Mass 质量 (g)	Voltage 电压 (V)	Mass 质量 (g)	Voltage 电压 (V)	Mass loss 质量损失 (%)	Change ratio 电压比(%)	Status 结果
	C001	31.422	3.28	31.422	3.28	0.000	100.00	Pass 合格
	C002	31.111	3.27	31.111	3.27	0.000	100.00	Pass 合格
	C003	31.835	3.28	31.835	3.28	0.000	100.00	Pass 合格
	C004	31.812	3.27	31.812	3.27	0.000	100.00	Pass 合格
Undischar ged state	C005	31.110	3.27	31.110	3.27	0.000	100.00	Pass 合格
未放电状 态	C006	31.113	3.28	31.113	3.28	0.000	100.00	Pass 合格
, E.	C007	31.415	3.27	31.415	3.27	0.000	100.00	Pass 合格
	C008	31.936	3.27	31.935	3.27	0.003	100.00	Pass 合格
	C009	31.975	3.27	31.975	3.27	0.000	100.00	Pass 合格
	C010	31.864	3.26	31.862	3.26	0.006	100.00	Pass 合格
	C011	31.832		31.832		0.000	<u></u>	Pass 合格
	C012	31.841		31.841		0.000		Pass 合格
	C013	31.5 <mark>94</mark>		31.591		0.009		Pass 合格
Fully	C014	31. <mark>572</mark>		31.572	\	0.000		Pass 合格
discharged	C015	31. <mark>794</mark>	\	31.794	\	0.000	7	Pass 合格
state 完全放电 状态	C016	31. <mark>755</mark>		31.755		0.000	<i>)</i>	Pass 合格
	C017	31. <mark>286</mark>		31.284		0.006		Pass 合格
	C018	31. <mark>361</mark>	\	31.361	1	0.000	<b>/</b> \	Pass 合格
	C019	31. <mark>375</mark>		31.375		0.000	<i> </i> -	Pass 合格
	C020	31.2 <mark>64</mark>		31.264		0.000	-	Pass 合格

Notes 注释: Ambient temperature 环境温度: 22.5℃。

After the test, there is no leakage, no venting, no disassembly, no rupture and no fire. And change ratio is not less than 90 %. 检测后,样品无渗漏、无排气、无解体、无破裂和无起火。电压比不小于 90 %。

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 14 / 19



#### Table T.5 External short circuit (表 T.5) 外部短路

Test sample status 检测样品状态	No. 编号	Maximum external temperature (°C) 表面最高温度(°C)	Status 结果
	C001	83.9	Pass 合格
	C002	88.7	Pass 合格
	C003	85.4	Pass 合格
	C004	86.0	Pass 合格
Undischarged state	C005	80.9	Pass 合格
未放电状态	C006	82.6	Pass 合格
	C007	84.1	Pass 合格
	C008	83.7	Pass 合格
	C009	81.4	Pass 合格
	C010	83.5	Pass 合格
	C011	73.2	Pass 合格
	C012	76.5	Pass 合格
	C013	71.6	Pass 合格
	C014	75.4	Pass 合格
Fully discharged state	C015	69.8	Pass 合格
完全放电状态	C016	68.7	Pass 合格
	C017	68.8	Pass 合格
	C018	71.1	Pass 合格
	C019	69.3	Pass 合格
	C020	68.4	Pass 合格

Notes 注释: Ambient temperature 环境温度: 23.6°C。

Test sample external temperature does not exceed 170°C and there is no disassembly, no rupture and no fire during the test and within six hours after the test.

检测样品表面温度不超过 170°C,检测中与检测后 6 小时内无解体、无破裂、无起火。

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 15 / 19



Table T.6 Impact (表 T.6) 撞击

Report No.: CMC211008009

Test sample status 检测样品状态	No. 编号	Maximum external temperature (°C) 表面最高温度(°C)	Status 结果
	C021	85.6	Pass 合格
	C022	82.9	Pass 合格
Undischarged state 未放电状态	C023	87.6	Pass 合格
<b>水</b> 双电状态	C024	83.1	Pass 合格
	C025	89.4	Pass 合格
	C026	88.7	Pass 合格
	C027	86.4	Pass 合格
Fully discharged state 完全放电状态	C028	84.6	Pass 合格
九主 从 电	C029	82.7	Pass 合格
	C030	85.7	Pass 合格

Notes 注释: Ambient temperature 环境温度: 22.3°C。

Test sample external temperature does not exceed 170°C and there is no disassembly, no rupture and no fire during the test and within six hours after the test.

检测样品表面温度不超过 170°C, 检测中与检测后 6 小时内无解体、无破裂、无起火。

### Table T.7 Overcharge (表 T.7) 过充电

Not applicable 不适用

Table T.8 Forced discharge (表 T.8) 强制放电

Test sample status 检测样品状态	No. 编号	Status 结果	
	C031	Pass 合格	
	C032	Pass 合格	
	C033	Pass 合格	
	C034	Pass 合格	
Fully discharged state	C035	Pass 合格	
完全放电状态	C036	Pass 合格	
	C037	Pass 合格	
	C038	Pass 合格	
	C039	Pass 合格	
	C040	Pass 合格	

Notes 注释: Ambient temperature 环境温度: 23.6°C。

There is no disassembly and no fire during the test and within seven days after the test.

样品在检测中和检测后7天内无解体、无起火。

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101 *Version: A/2.0* 

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 16 / 19



# Main Test Apparatus 主要试验仪器设备清单


	Item 编号	Equipment name 设备名称	Model 型号	Cal. date 校准日期	Due. date 有效期至				
$\boxtimes$	CMC-YQ-001	Programmable Temp.& Humi Chamber 可程式恒温恒湿试验箱	ZZ-K01B	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-005	Battery Test System 电池测试系统	ACTS-20V10A	2021-04-15	2022-04-14				
	CMC-YQ-006	Battery Extrusion Testing machine 温控型电池挤压试验机	GX-5067-TSM	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-010	Battery short-circuit tester 温控型电池短路试验机	GX-6055-B5HL	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-011	Battery weight impact testing machine 电池重物冲击试验机	ZZ-A11	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-012	Low Altitude Simulation Tester 电池低压高空模拟试验机	GX-3020-ZC80	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-014	Vibration test instrumen <mark>t</mark> 电磁式振动试验机	EV206VT650	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-015	Vertical Shock Test Instrument 机械式冲击试验机	SKT50	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-016-1	Data Collector 数据采集器	34970A	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-019-1	DC POWER 直流电源	PSW80-40.5	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-044-1	Temperature & humidity monitoring intelligent terminal 温度&湿度智能监控终端	ZL-TH10TP	2021-04-21	2022-04-20				
	CMC-YQ-021	Electronic platform scale 电子台秤	TCS-200KG	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-022	Electronic Balance 电子天平	JCS-6=5103W	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-023	Digital caliper 数显 <mark>卡</mark> 尺	MNT-150	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-025	Digital Multimeter 数字万用表	FLUKE-17B+	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-028	Pro <mark>grammed DC E</mark> lectronic Load 程控直流电子负载	SJ8512B	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-029	Timer 秒表	XL-009A	2021-04-15	2022-04-14				
	CMC-YQ-031	Battery Test System 电池测试系统	RCDS-100V100A	2021-04-15	2022-04-14				
$\boxtimes$	CMC-YQ-037 Temperature and humidity barometer 温湿度气压表		(980-1050)kPa	2021-04-15	2022-04-14				
	⊠: Used equipment 使用设备 〗: Unused equipment 未使用设备								

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101 Version: A/2.0


400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 17 / 19



# Photos of Samples 样品照片



Picture 1. Cell view 图片 1. 电池视图



Picture 2. Cell view 图片 2. 电池视图

01, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China 中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101 *Version: A/2.0* 

400-1668-320 info@cmczj-lab.com www.cmczj-lab.com 18 / 19



## **Important**

## 注意事项

- 1. The test report is invalid if it is not affixed the official seal of the laboratory to it. 检测报告无本实验室公章(或检验检测专用章)无效。
- 2. Copies of the test report without the official seal of the laboratory are invalid. 复制检测报告未重新加盖本实验室公章(或检验检测专用章)无效。
- It is forbidden to copy the test report partially without the written approval of the laboratory.

未经本实验室书面批准不得部分复制检测报告。

4. The test report is invalid without the signatures of Approver, Reviewer and Testing engineer.

检测报告无检测、审核、批准人签名无效。

- The test report is invalid if it is blotted out.
  - 检测报告涂改无效。
- Objections to the test report must be submitted to CMC Testing International (Shenzhen) 6. Co., Ltd. within 15 days.

对检测报告若有异议,应于收到报告之日起十五天内向众检检验认证(深圳)有限公司提 出。

- 7. The test report is valid for the tested samples only.
  - 本检测报告仅对检测样品负责。
- As for the Verdict, "--" means "no need for judgment", "P" means "pass", "F" means "fail" and "N/A" means "not applicable".

判定栏中"--"表<mark>示"不需要判定",</mark>"P"表<mark>示"通过","F"表</mark>示"不通过","N/A"表示"不适<mark>用"</mark>。

\*\*\* End of Report \*\*\* \*\*\* 报告结束 \*\*\*

Testing laboratory: CMC Testing International (Shenzhen) Co., Ltd.

检测单位: 众检检验认证 (深圳) 有限公司

Address: 101, Building B, Kaihuimao Industrial Park, Liyuan Road, Heping Community, Fuhai Street, Baoan District, Shenzhen, Guangdong, China

地址:中国广东省深圳市宝安区福海街道和平社区荔园路恺辉茂工业园厂房 B 栋 101

Tel (电话): 400-1668-320 E-mail: info@cmczj-lab.com http://www.cmczj-lab.com

19 / 19