



危险物品 DANGEROUS GOODS 仅限货机运输

# 航空运输条件鉴别报告书

Identification and Classification Report for Air Transport of Goods

此报告本年度有效 有效期至2020年12月31日

报告编号:

PEKSZ202008252677ZF610001

Issued No.:

签发日期: 2020.08.25

I.... 1 D.4.

Issued Date:

委托单位:

GlobTek, Inc.

Applicant:

GlobTek, Inc.

物品名称:

锂聚合物电池 GL-456074

Name of Goods:

Lithium Polymer Battery GL-456074

### 北京迪捷姆空运技术开发有限公司

Beijing DGM Air Transport Technology Development Co.,Ltd.



有效月31日

# 报告书使用约定

#### Terms of the Using of the Report

1. 本公司依据本年度国际航协《危险品规则》以及委托人(托运人或其代理人)提供的物品及其运输信息,确定 货物的航空运输条件并出具此报告书。

The report is issued by DGM China according to IATA *Dangerous Goods Regulations* published in the current year and the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

2. 依据鉴别的需要,本公司要求委托人提供真实、完整的货物样品及资料。

According to the demand of identification and classification, DGM China requires the applicant to provide true and exact sample and data of the cargo.

- 3. 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。
  - The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.
- 4. 本公司仅对样品的鉴别结果负责。

DGM China is only responsible for the identification and classification of the sample provided by the applicant.

5. 本报告书经主检员、审核人和批准人签字并加盖本公司印章后生效。

This report will be effective only after it is signed by the inspector, checker and approver, and stamped by DGM China.

6. 未经本公司书面批准,不得复制本报告书。

The duplicating of this report is prohibited without the written approval of DGM China.

7. 私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。

The report is invalid when anything of the following happens - illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.

8. 为适应国际航协《危险品规则》的年度变化,报告书仅在本年度内有效。

This report is only valid within the year in which the IATA Dangerous Goods Regulations is effective.

地址:北京首都国际机场货运北路天竺综合保税区BGS货运楼249室

邮编: 101300

电话: 010-69479673

传真: 010-69479621

网址: www.dgmchina.com.cn

E-mail: test@dgmchina.com.cn



	开发有限公司		AUINA .			
项目编号 Item No.	PEKSZ202008252677					
鉴别目的 Identification Purp	是否属于航空运输危险物品 Dangerous Goods or not restricted	鉴别日期 Identification Date	2020. 08. 25			
鉴别依据 Identification Crit	eria IATA DGR 61st, 2020	IATA DGR 61st, 2020				
中文 物品名称 Chine			OHIN			
Name of Goods 英文 Engli	II I Thillim Polymor Battory El -/Ibi	Lithium Polymer Battery GL-456074				
1018	1/10/108					
件数 Pieces	注: 本栏内容为托运人或其代 书时候填写的运输信息,不属					
运单号 Air waybill No.		信息与报告书的关项 书的一致性由托运 <i>)</i> ——————何不一致由托运人项	关性以及实际运输货物与报告 人或其代理人保证,如发生在 战其代理人承担全部责任。			
目的港 Destination		(请认真填写本栏) 负责人:	的容,并盖章) 联系方式:			
物品信息 Nature of the good	已经做好防短路措施并装入坚固的 电影的IN38 3报告由察圳立钮检测	西が組密子电池(或电芯)交付运 造且按照DGR3.9.2.6 (e) 规定的质量 D包装内,电芯已固定且不能位移。 I股份有限公司出具,报告编号: LC 可出具,报告编号: LCS200727120 法讯检测股份有限公司出具,详见附 ell. er package: 120 s per package: 5.27kg es must be offered for transpor	让体系进行制造。同时,该电达单块电芯的重量约为43.9g。这 单块电芯的重量约为43.9g。它 S200727120ASA,1.2米跌落测 ASB。) 页。			



	目编号 n No.	PEKSZ202008252677			
物品名称	中文 Chinese	锂聚合物电池 GL-456074		X1/2	
Name of Goods	英文 English	Lithium Polymer Battery GL-456074			
	J结论 lusions	该货物为锂离子/聚合物电芯,单独包装。额定瓦特验,每个包装件上均有锂电池标记。 参考有关资料,根据DGR有关规定,该物质分类识别 This goods is lithium ion/polymer cell, packed of a type proved to meet the Requirements of III, sub-section 38.3, Each package is capable damage to the cells contained therein, without contact and without release of contents, Each package to IATA DGR this substance is class.	为第9类(或项)危险品,UN3480。 individually.Watt-hour rating is 7 each test in the UN MANUAL OF TESTS of withstanding a 1.2m drop test in t shifting of the contents so as to package is marked with lithium batt	.215Wh. Each bat AND CRITERIA, any orientatic allow coll to ory mark.	tery is Part on withou
	UN/ID 编号 UN/ID No.	运输专用名: Proper Shipping		类或项 Class or Div. (次要危险性) (Subsidiary Risk)	包装等级 Packing Group
31	UN3480	Lithium ion batt	teries	9	/
eli Vai VerdiA					
建议运输 条件 Suggestion	包装说		Forbidden		
条件 buggestion for Fransport	包裝说 Packing I	IJJ Passenger and Cargo Aircraft	Forbidden 965 IB		
条件 Suggestion		Passenger and Cargo Aircraft nst.  仅限货机 Cargo Aircraft only  每一单电芯必须 each single cell must be packed in such	965 IB	er the normal co	nditions

制单: 蒋晓芳

第4页共4页









3.7VLithium Polymer Battery P/N:GL-456074

Capacity: GP456074 1950 mAh

7.215WH




## **UN38.3 Test Summary**

### UN38.3试验概要

		Comp	oany Informatio 公司信息	on		
Applicant's Name	GlobTek,Inc.					
申请商	186 Veterans Dr. Northvale, NJ 07647 USA					
	Shenzhen LCS Con 深圳立讯检测股份有		sting Laboratory	Ltd.		
Test Laboratory 测试实验室	Room 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei, Shajin Street, Baoan District, Shenzhen, Guangdong, China 广东省深圳市宝安区沙井街道衙边学子围巨基工业园A栋101、201,C栋301					
	Website 网址	http:// www.lcs-cert.com +(86) 0755-8259 1330		Email address 邮件地址	webmaster@lcs-cert.com	
	Telephone Number 联系电话			Fax 传真	+(86) 0755-8259 1332	
		Batt	ery Information 电池信息	ı		
Sample name 样品名称				GlobTek, Inc.		
Samples Model 样品型号	GL-456074		Description Sin 描述		Single Cell Rechargeable Li-ion Battery 单芯可充电锂离子电池	
Nominal voltage 标称电压	3.7V		Capacity 容量		1950mAh, 7.215Wh	
Weight 重量	43.9g		Lithium conto 锂含量	ent	OHINA .	
Appearance 外观	Prismatic/Bla 棱形/黑色		Combinatio 组成方式	n		

#### 立讯检测股份 LCS Testing Lab

Date of test report UN报告签发日期 of the sixth Revised Edition of the ls, Manual of Test and Criteria andment 1 38.3) 的建议书试验和标准手册》第六修订	「版修正1第38.3 节 PASS
ls, Manual of Test and Criteria endment 1 38.3) 的建议书试验和标准手册》第六修订 T.5 External short circuit	「版修正1第38.3 节 PASS
外短路测试	合格
T.6 Crush/ Impact 挤压/撞击	PASS 合格
T.7 Overcharge 过度充电	PASS 合格
T.8 Forced discharge 强制放电	PASS 合格
38.3.3(g)	N/A 不适用
	强制放电



Signature/ Technical Manager 签名/技术总监 APPROVED \*

Date of issue 签发日期

2020.08.24

This UN38.3 test summary is based on the satisfactory testing of the sample under test, which excludes the evaluation of other samples of the same series of the samples. This summary must be used in conjunction with the test report. 本UN38.3试验概要基于受试样品检测合格作出的,它不包括对该样品其他同系列样品的评价,本概要必须与相关的测试报告同时使用。

\*\*\*End of report\*\*\*