

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	GlobTek, Inc.	Other Name	
Address	186 Veterans Drive Northvale New Jersey 07647 United States		
Client ID	108211	Global-Mark File Number:	108211-029
Certificate Number & Approval Mark	GMA-526130-EA	Revision Number	00
Certification Standard(s)	AS/NZS 61558.2.16:2022 Amd 1: 2023 & AS/NZS 61558.1:2018 Amd 1: 2020, Amd 2: 2020 Safety of power transformers, power supplies, reactors and similar products for supply voltages up to 1 100 V - Particular requirements for switch mode power supply units and transformers for switch mode power supply units		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

CERTIFICATE DATES

Certificate Issue Date	14/01/2026
Certificate Last Update Date	
Certification Expiry Date	14/01/2031

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1305	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:5VDC, 2.6A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1306	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:6VDC,2.16A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1307	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:7VDC, 1.85A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1309-1.5	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:7.5VDC,1.73A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1309-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:8VDC, 1.625A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1309	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:9VDC, 1.44A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1312-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:10VDC,1.3A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1312-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:11VDC, 1.18A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1312	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:12VDC, 1.08A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1315-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:13VDC, 1A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1315-1.2	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:13.8VDC, 0.94A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1315-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:14VDC, 0.92A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1315	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:15VDC, 0.86A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1318-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:16VDC, 0.81A, 13W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 2 of 8



Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1318-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:17VDC,0.76A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1318	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:18VDC, 0.72A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1320-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:19VDC, 0.68A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1320	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:20VDC, 0.65A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1324-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:21VDC, 0.61A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1324-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:22VDC, 0.59A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1324-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:23VDC, 0.56A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1324	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:24VDC, 0.54A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-23.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:25VDC, 0.52A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-22.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:26VDC, 0.5A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-21.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:27VDC, 0.48A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-20.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:28VDC, 0.46A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-19.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:29VDC, 0.44A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-18.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:30VDC, 0.43A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-17.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:31VDC, 0.41A, 13W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-16.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:32VDC, 0.40A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-15.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:33VDC, 0.39A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-14.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:34VDC,0.38A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-13.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:35VDC, 0.37A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-12.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:36VDC, 0.36A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-11.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:37VDC, 0.35A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-10.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:38VDC, 0.34A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-9.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:39VDC, 0.33A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-8.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:40VDC, 0.325A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-7.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:41VDC, 0.31A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-6.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:42VDC, 0.3A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-5.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:43VDC, 0.3A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:44VDC,0.29A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:45VDC, 0.28A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:46VDC, 0.28A, 13W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 4 of 8

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:47VDC, 0.27A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1348	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:48VDC, 0.27A, 13W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1506	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:6VDC, 2.5A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1507	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:7VDC,2.14A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1509-1.5	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:7.5VDC,2A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1509-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:8VDC, 1.875A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1509	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:9VDC,1.66A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1512-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:10VDC, 1.5A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1512-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:11VDC, 1.36A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1512	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:12VDC,1.25A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1515-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:13VDC,1.15A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1515-1.2	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:13.8VDC, 1.08A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1515-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:14VDC, 1.07A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1515	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:15VDC, 1A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1518-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:16VDC, 0.93A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1518-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:17VDC, 0.88A,15W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1518	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:18VDC, 0.83A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1520-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:19VDC, 0.78A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1520	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:20VDC, 0.75A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1524-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:21VDC, 0.71A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1524-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:22VDC,0.68A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1524-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:23VDC, 0.65A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1524	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:24VDC,0.625A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-23.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:25VDC, 0.6A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-22.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:26VDC, 0.57A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-21.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:27VDC, 0.55A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-20.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:28VDC, 0.53A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-19.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:29VDC, 0.51A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-18.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:30VDC, 0.5A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-17.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:31VDC, 0.48A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-16.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:32VDC, 0.46A,15W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-15.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:33VDC, 0.45A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-14.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:34VDC, 0.44A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-13.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:35VDC, 0.42A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-12.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:36VDC, 0.41A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-11.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:37VDC,0.40A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-10.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:38VDC, 0.39A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-9.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:39VDC, 0.38A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-8.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:40VDC, 0.375A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-7.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:41VDC, 0.36A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-6.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:42VDC, 0.35A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-5.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:43VDC, 0.34A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:44VDC, 0.34A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:45VDC, 0.33A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:46VDC, 0.32A,15W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:47VDC, 0.31A,15W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 7 of 8

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-41052-1548	Input:100-240VAC, 50-60Hz or 50/60Hz, 0.6A ; Output:48VDC,0.31A,15W
-------------------------	----------------------	---------------	---------------	--

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION
2026/01/14 Initial Certification Complies with AS/NZS 3112 2017 A1

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Page 8 of 8