

CERTIFICATE OF COMPLIANCE

Certificate Number 20151012-E170507
Report Reference E170507-20130924
Issue Date 2015-OCTOBER-12

Issued to: GLOBTEK INC
186 VETERANS DR
NORTHVALE , NJ 07647
United States

**This is to certify that
representative samples of** POWER SUPPLIES, INFORMATION TECHNOLOGY
EQUIPMENT INCLUDING ELECTRICAL BUSINESS
EQUIPMENT
For models refer to Addendum Page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60950-1 and CSA C22.2 No. 60950-1-07 - Information
Technology Equipment - Safety - Part 1: General
Requirements

Additional Information: See the UL Online Certifications Directory at
www.ul.com/database for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151012-E170507
Report Reference E170507-20130924
Issue Date 2015-OCTOBER-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Direct Plug-in Switching Power Supply - GT-41052-1305(-X.X) (#), GT-41052-1506(-X.X) (#), GT-41052-1507(-X.X) (#), GT-41052-1509(-X.X) (#), GT-41052-1512(-X.X) (#), GT-41052-1515(-X.X) (#), GT-41052-1518(-X.X) (#), GT-41052-1520(-X.X) (#), GT-41052-1524(-X.X) (#), GT-41052-1548(-X.X) (#), (#) The models listed here are the standard models which the custom versions are based on. Custom units are obtained using the optional "A.B" modifier. See Model Differences for details.

Switching Power Adapter - GT-41062-1305 (\$), GT-41062-1806 (\$), GT-41062-1807 (\$), GT-41062-1809 (\$), GT-41062-1812 (\$), GT-41062-1815 (\$), GT-41062-1818 (\$), GT-41062-1820 (\$), GT-41062-1824 (\$). (\$) The models listed here are the standard models upon which custom versions are based. Custom units are obtained using an optional "-X.X" suffix. See Model Differences for details.

Power Supply - GT-41062-1805-T3 (@), GT-41062-1806-T3 (@), GT-41062-1807-T3 (@), GT-41062-1809-T3 (@), GT-41062-1812-T3 (@), GT-41062-1815-T3 (@), GT-41062-1818-T3 (@), GT-41062-1820-T3 (@), GT-41062-1824-T3 (@), GT-41062-1805-T3A (@), GT-41062-1806-T3A (@), GT-41062-1807-T3A (@), GT-41062-1809-T3A (@), GT-41062-1812-T3A (@), GT-41062-1815-T3A (@), GT-41062-1818-T3A (@), GT-41062-1820-T3A (@), GT-41062-1824-T3A (@). (@) The models listed here are the standard models upon which custom versions are based. Custom units are obtained using an optional "-X.X-" suffix placed before the -T3/-T3A suffix. See Model Differences for details

Power Supply - GT-41062-1805-T2 (#), GT-41062-1806-T2 (#), GT-41062-1807-T2 (#), GT-41062-1809-T2 (#), GT-41062-1812-T2 (#), GT-41062-1815-T2 (#), GT-41062-1818-T2 (#), GT-41062-1820-T2 (#), GT-41062-1824-T2 (#), (#) The models listed here are the standard models upon which custom versions are based. Custom units are obtained using an optional "-X.X-" suffix placed before the "-T2" suffix. See Model Differences for details



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20151012-E170507
Report Reference E170507-20130924
Issue Date 2015-OCTOBER-12

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

SWITCHING POWER ADAPTER - GT-41081-WWVV-X.X (&), (&) WW is the rated output wattage designation, with a maximum value of "18"; VV is the standard rated output voltage designation, with a maximum value of "09"; X.X designates the optional deviation, X.X should be VV minus the rated voltage, and it can be blank.

Switching Power Adapter - GT-41080-WWVV-X.X (\$), (\$) WW is the rated output wattage designation, with a maximum value of "18"; VV is the standard rated output voltage designation, with a maximum value of "48"; X.X designates the optional deviation. Actual voltage range is 9 - 48 volts only

Switching Power Adapter - GT-41078-0505-USB, GT-41078-0506-USB.

Switching Power Adapter - GT-41076-WWVV-A.A series, WW is the rated output wattage designation, with a maximum value of "06"; VV is the standard rated output voltage designation, with a maximum value of "24"; -A.A denotes the optional deviation, subtracted or added from standard output voltage in 0.1 volt increments or blank to indicate the no voltage different; VV-A.A together denotes the voltage rang 3V to 24V



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/about/locations/>

