

**CB TEST CERTIFICATE CERTIFICAT D'ESSAI OC**Product  
Produit

Power supply for business machine

Name and address of the applicant  
Nom et adresse du demandeurGlobTek, Inc.  
186 Veterans Drive  
Northvale, NJ 07647  
USAName and address of the manufacturer  
Nom et adresse du fabricantGlobTek, Inc.  
186 Veterans Drive  
Northvale, NJ 07647  
USAName and address of the factory  
Nom et adresse de l'usineNote: When more than one factory, please report on page 2  
Note: Lorsque il y plus d'une usine, veuillez utiliser la deuxième page Additional information on page 2Ratings and principal characteristics  
Valeurs nominales et caractéristiques principales1.5A 100-240Vac 50-60Hz  
Cl. I.Trademark (if any)  
Marque de fabrique (si elle existe)Type of Manufacturer's Testing Laboratories used  
Type de programme du laboratoire d'essais constructeurModel / Type Ref.  
Ref. De type

GT-41132-WVVV-X.X-TZ

Additional information (if necessary may also be reported on page 2)

 Additional information on page 2

Les informations complémentaires (si nécessaire, peuvent être indiqués sur la deuxième page)

A sample of the product was tested and found to be in conformity with

Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1(ed.2);am1;am2

As shown in the Test Report Ref. No. which forms part of this Certificate

306883

Comme indiqué dans le Rapport des essais numéro de référence qui constitue partie de ce Certificat

This CB Test Certificate is issued by the National Certification Body  
Ce Certificat de test OC est établi par l'Organisme National de Certification

GlobTek, Inc.  
186 Veterans Drive  
Northvale, NJ 07647  
USA

GlobTek (Suzhou) Co., Ltd  
Building 4, No. 76, Jin Ling East Rd., Suzhou Industrial  
Park, Suzhou, JiangSu 215021  
China

**Additional information (if necessary)**

**Information complémentaire (si nécessaire)**

Output: Max.5.0A, 12-24Vdc, Max. 60W for output voltage (12-19V, excluded 19V), Max. 65W for output voltage (19-24V, included 19V). The "WW" denotes the watt, which can be 01-65, max. 65W. The "VV" denotes the output voltage, which can be 12-24Vdc. The "-X.X" denotes the optional deviation, subtracted from standard output voltage in 0.1 volt increments or blank to indicate the no voltage different. The "Z" denotes the different kind of appliance inlet and enclosure size, which can be "3" to indicate the appliance inlet complied with standard sheet C14 of IEC 60320, "3A" to indicate the appliance inlet complied with standard sheet C6 of IEC 60320.



Gaustadalléen 30  
NO-0373 Oslo, Norway

Date: 12-05-2016

Signature: Sweet Yuan  
Certification Department