

CERTIFICATE

FOR EUROPEAN PRODUCT SAFETY

Reference No. SE-S-2100005

ITE Power Supply

Type designation: GT*41134*****, GT*96060*****, GT-41134-0606-W2-TAB, GTM96060-0706-1.0

Certificate holder: GlobTek, Inc.
186 Veterans Dr. Northvale, NJ 07647 USA

The product complies with the standard(s): EN 62368-1:2014+A11

Date of expiry: 06 January, 2023

EU Directive information: According to the principle of presumption of conformity, this certificate constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.

Additional information in Appendix

Certification Body: Intertek Semko AB, Product Certification **Place:** Shanghai


Signed:  **Date:** 05 January, 2021

Hyden Li

APPENDIX:

Reference No. SE-S-2100005

Technical Data:

<i>Type designation</i>	GT*41134*****, GT*96060*****, GT-41134-0606-W2-TAB, GTM96060-0706-1.0
<i>Input</i>	100-240V~, 50-60Hz, 0.3A or 0.6A for GT*41134*****, GT*96060***** and GTM96060-0706-1.0
<i>Output</i>	120V~, 60Hz, 0.3A for GT-41134-0606-W2-TAB
<i>Test Report</i>	Details see attachment
<i>Trademark</i>	200802266SHA-001 

Attachment:

GT*41134***** and GT*96060*****

The 1st "*" part can be 'M' or '-' or 'H' for market identification and not related to safety.

The 2nd "*" part can be "-" or "CC", "-" = Constant Voltage Model, CC = Constant Current Model.

The 3rd "*" denotes the rated output wattage designation, which can be "01" to "07", with interval of 1.

The 4th "*" denotes the standard rated output voltage designation, which can be "03", "04", "06", "12", "15", "18", "24", "36" or "48". These standard rated output voltage designations correspond to seven isolated transformer models (See the appended table 4.1.2 for details). Each transformer model is identical in insulation construction including clearance and creepage except number of turns per coil.

The 5th "*" is optional deviation, subtracted from standard output voltage, which can be "-0.1" to "-11.9" with interval of 0.1, or blank to indicate no voltage different.

The 4th "*" and 5th "*" together denote the output voltage, with a range of 3.3 - 48 volts.

The 6th "*" = Blank means directly plug in model series,

= "-F" means Class I open frame model with connector which is fixing on the PCB,

= "-FW" means Class II open frame model with connector which is fixing on the PCB.

= "-FWT2" means open frame model with appliance inlet with Class II inlet C8 respectively,

= "-FT3A" means open frame model with appliance inlet with Class I inlet C6 respectively,

= "-FT3" means open frame model with appliance inlet with Class I inlet C14 respectively,

The last * denote any six character = 0-9 or A-Z or [] or - or blank for marketing purposes.

Test performed on 3.3V, 5V, 9V and 48V output model as representative, and also performed on model GT-41134-0606-W2-TAB for reference. Test performed on 3.3V, 5V and 48V output model as representative for new added structure type.

Intertek

APPENDIX:

Reference No. SE-S-2100005

Model list:

Model	voltage	Max. current	Max. power
GT*41134**03*** GT*96060**03***	3.3V	1.8A	6.0W
GT*41134**04*** GT*96060**04***	3.4-4V	1.76A	6.0W
GT*41134**06*** GT*96060**06***	4.1-6V	1.46A	6.0W
GT*41134**12*** GT*96060**12***	6.1-12V	0.98A	6.0W
GT*41134**15*** GT*96060**15***	12.1-15V	0.50A	6.0W
GT*41134**18*** GT*96060**18***	15.1-18V	0.40A	6.0W
GT*41134**24*** GT*96060**24***	18.1-24V	0.33A	6.0W
GT*41134**36*** GT*96060**36***	24.1-36V	0.25A	6.0W
GT*41134**48*** GT*96060**48***	36.1-48V	0.16A	6.0W
GT-41134-0606-W2-TAB	6.0V	1.0A	6.0W
GTM96060**06-1.0	5.0V	1.5A	7.5W

Manufacturing Sites: GlobTek (Suzhou) Co., Ltd
Building 4, No. 76, Jin Ling East Rd., Suzhou Industrial Park, Suzhou,
JiangSu 215121, China

Safety related parts of the user instructions shall be written in a language acceptable to the country where the product is to be used.


If the product is to be marketed in different European countries, it must be provided with a certified plug appropriate for each country.

According to the principle of presumption of conformity, this certificate, which includes production control, constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.

This presumption can expire before end of validity of this certificate due to new issued Standard or Amendment and changes within the EU legislation.

Certification Body: Intertek Semko AB, Product Certification **Place:** Shanghai

Signed:



Date: 05 January, 2021

Hyden Li