CERTIFICATE OF COMPLIANCE

Certificate Number 20140325-E341351

Report Reference E341351-A45-UL

Issue Date 2014-MARCH-25

Issued to: GLOBTEK (HONG KONG) LTD

UNIT 1402, BENSON TOWER

74 HUNG TO RD KWUN TONG

KOWLOON HONG KONG

This is to certify that representative samples of

POWER SUPPLIES, INFORMATION TECHNOLOGY EQUIPMENT INCLUDING ELECTRICAL BUSINESS

EQUIPMENT

See addendum page

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 60950-1, Information Technology Equipment - Safety -

Part 1: General Requirements

CSA C22.2 No. 60950-1-07, Information Technology Equipment - Safety - Part 1: General Requirements

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: ^c the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus



CERTIFICATE OF COMPLIANCE

Certificate Number 20140325-E341351

Report Reference E341351-A45-UL

Issue Date 2014-MARCH-25

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Products:

Switching Power Adapter

GT-43004PWWWVV-X.X-TZ series:

WWW is the rated output wattage designation, with a maximum value of "150";

VV is the standard rated output voltage designation, with a maximum value of "24";

-X.X is optional or blank and denotes the output voltage differentiator, subtracting or adding X.X volts from standard output voltage VV in 0.1V increments;

Z presents different inlets, where "3" presents C14, "3A" presents C6

William R. Carrey

William R. Carney, Director, North American Certification Programs

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at www.ul.com/contactus

