



中国国家强制性产品认证证书

证书编号: 2015010907777953

委托人名称、地址

GlobTek, Inc.

186 Veterans Dr. Northvale, NJ 07647 / 美国

生产者(制造商)名称、地址

GlobTek, Inc.

186 Veterans Dr. Northvale, NJ 07647 / 美国

生产企业名称、地址

环球特科(苏州)电源科技有限公司

江苏省苏州市苏州工业园区金陵东路76号4栋

产品名称和系列、规格、型号

电源供应器

见附件, 仅适用于海拔2000米及以下

产品标准和技术要求

GB17625.1-2012; GB4943.1-2011; GB/T9254-2008

上述产品符合强制性产品认证实施规则 CNCA-C09-01:2014 的要求,
特发此证。

发证日期: 2020年05月14日有效期至: 2025年05月14日

证书有效期内本证书的有效性依据发证机构的定期监督获得保持。

本证书为变更证书, 证书首次颁发日期: 2015年05月31日

本证书的相关信息可通过国家认监委网站 www.cnca.gov.cn 查询

经中国合格评定国家认可委员会认可 CNAS C001-P



主任:

陆杨



中国质量认证中心



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2015010907777953

NAME AND ADDRESS OF THE APPLICANT

GlobTek, Inc.
186 Veterans Dr. Northvale, NJ 07647 / USA

NAME AND ADDRESS OF THE MANUFACTURER

GlobTek, Inc.
186 Veterans Dr. Northvale, NJ 07647 / USA

NAME AND ADDRESS OF THE FACTORY

GlobTek (Suzhou) Co., Ltd
Building 4, No. 76 JinLing East Road, Suzhou Industrial Park, Suzhou, JiangSu, 215021, China.

PRODUCT NAME, MODEL AND SPECIFICATION

ITE Power Supply
See appendix, Altitude up to 2000m

THE STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB17625.1-2012; GB4943.1-2011; GB/T9254-2008

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification (REFNO.CNCA-C09-01:2014).

Valid from: May.14,2020 Valid until: May.14,2025

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: May.31,2015

The certificate information is available through CNCA's website: www.cnca.gov.cn
Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



President:

Lu Mei



CHINA QUALITY CERTIFICATION CENTRE



中国国家强制性产品认证证书

附录:

第 1 页 共 1 页

证书编号: 2015010907777953

纸号: 2590948

型号: GT-43007-*** (第一个“*”代表额定输出功率; 取值为 01-40, 步进为 1; 第二个“*”代表标准额定输出电压, 取值为 12、24、36 或 48; 第三个“*”代表输出电压的变量, 是与标准额定输出电压做差值, 可以为“-11.9”-“-0.1”或空白, 步长为 0.1; 额定输出电压由第二和第三个“*”确定, 步进为 0.1V, 当电压为 12V, 24V, 36V, 48V 时, 第三个“*”为空白), 额定输入为: 100-240V~, 50-60Hz, 1.0A, 输出规格见下表。

型号	直流输出电压	最大输出电流	最大输出功率
GT-43007-*12	12Vdc	3.33A	40W
GT-43007-*24*	12.1-24Vdc	3.33A	40W
GT-43007-*36*	24.1-36Vdc	1.67A	40W
GT-43007-*48*	36.1-48Vdc	1.11A	40W

注: 此附录与证书同时使用时有效。



主任:

陆梅



中国质量认证中心