APPROVALS®

Certificate of Conformity/Approval

Certificate No.: **SAA-210631-EA**

Certificate Holder:
GlobTek, Inc
186 Veterans Drive,
Northvale, NJ 07647
U.S.A.

Regulatory Definition: Power Supply or Charger
Product Description: ITE Power Supply (Class I, Desktop type)
Trade Name/s: G GLOBTEK,INC.
Model No.: GT-46181-1815-T3
Rating/Marking/s: Input: 100-240V~ 50-60Hz 0.5A
Output: 15Vdc 1.2A 18W
Class I

Standard/s: AS/NZS 62368.1:2018
Condition/s: For use with audio/video, information or communication technology equipment only.

Approval Marks: RCM (In accordance with AS/NZS 4417 and EESS requirements)
and
SAA-210631-EA (In accordance with NSW legislative requirements)

Initial Issue Date: 25 May 2021
Expiry Date: 25 May 2026

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals CERTIFIED

APPROVALS®

Certificate of Conformity/Approval

Models	Trade Name	Rating/Marking
GT-46181-0809-3.8-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 5.2Vdc 1.53A 8W Class I
GT-46181-1505-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 5Vdc 3A 15W Class I
GT-46181-1509-3.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 6Vdc 2.5A 15W Class I
GT-46181-1509-2.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 7Vdc 2.14A 15W Class I
GT-46181-1509-1.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 8Vdc 1.875A 15W Class I
GT-46181-1509-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 9Vdc 1.66A 15W Class I
GT-46181-1512-2.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 10Vdc 1.5A 15W Class I
GT-46181-1512-1.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 11Vdc 1.36A 15W Class I
GT-46181-1512-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 12Vdc 1.25A 15W Class I
GT-46181-1515-2.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13Vdc 1.15A 15W Class I
GT-46181-1515-1.5-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13.5Vdc 1.11A 15W Class I

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals CERTIFIED

APPROVALS®

Certificate of Conformity/Approval

Models	Trade Name	Rating/Marking
GT-46181-1515-1.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 14Vdc 1.07A 15W Class I
GT-46181-1515-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 15Vdc 1A 15W Class I
GT-46181-1609-3.9-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 5.1Vdc 3.03A 16W Class I
GT-46181-1605-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 5Vdc 3.2A 16W Class I
GT-46181-1609-3.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 6Vdc 2.66A 16W Class I
GT-46181-1609-2.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 7Vdc 2.28A 16W Class I
GT-46181-1609-1.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 8Vdc 2A 16W Class I
GT-46181-1609-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 9Vdc 1.77A 16W Class I
GT-46181-1612-2.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 10Vdc 1.6A 16W Class I
GT-46181-1612-1.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 11Vdc 1.45A 16W Class I
GT-46181-1612-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 12Vdc 1.33A 16W Class I

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals
CERTIFIED

APPROVALS®

Certificate of Conformity/Approval

Models	Trade Name	Rating/Marking
GT-46181-1615-2.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13Vdc 1.23A 16W Class I
GT-46181-1615-1.5-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13.5Vdc 1.18A 16W Class I
GT-46181-1615-1.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 14Vdc 1.14A 16W Class I
GT-46181-1615-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 15Vdc 1.06A 16W Class I
GT-46181-1805-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 5Vdc 3.6A 18W Class I
GT-46181-1809-3.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 6Vdc 3A 18W Class I
GT-46181-1809-2.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 7Vdc 2.57A 18W Class I
GT-46181-1809-1.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 8Vdc 2.25A 18W Class I
GT-46181-1809-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 9Vdc 2A 18W Class I
GT-46181-1812-2.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 10Vdc 1.8A 18W Class I
GT-46181-1812-1.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 11Vdc 1.63A 18W Class I

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals
CERTIFIED

APPROVALS®

Certificate of Conformity/Approval

Models	Trade Name	Rating/Marking
GT-46181-1812-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 12Vdc 1.5A 18W Class I
GT-46181-1815-2.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13Vdc 1.38A 18W Class I
GT-46181-1815-1.0-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 14Vdc 1.28A 18W Class I
GT-46181-1812-4.5-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 7.5Vdc 2.4A 18W Class I
GT-46181-1812-2.5-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 9.5Vdc 1.89A 18W Class I
GT-46181-1815-1.5-T3	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13.5Vdc 1.33A 18W Class I
GT-46181-0809-3.8-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 5.2Vdc 1.53A 8W Class I
GT-46181-1505-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 5Vdc 3A 15W Class I
GT-46181-1509-3.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 6Vdc 2.5A 15W Class I
GT-46181-1509-2.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 7Vdc 2.14A 15W Class I
GT-46181-1509-1.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 8Vdc 1.875A 15W Class I

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals
CERTIFIED

APPROVALS®

Certificate of Conformity/Approval

Models	Trade Name	Rating/Marking
GT-46181-1509-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 9Vdc 1.66A 15W Class I
GT-46181-1512-2.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 10Vdc 1.5A 15W Class I
GT-46181-1512-1.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 11Vdc 1.36A 15W Class I
GT-46181-1512-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 12Vdc 1.25A 15W Class I
GT-46181-1515-2.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13Vdc 1.15A 15W Class I
GT-46181-1515-1.5-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13.5Vdc 1.11A 15W Class I
GT-46181-1515-1.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 14Vdc 1.07A 15W Class I
GT-46181-1515-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 15Vdc 1A 15W Class I
GT-46181-1609-3.9-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 5.1Vdc 3.03A 16W Class I
GT-46181-1605-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 5Vdc 3.2A 16W Class I
GT-46181-1609-3.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 6Vdc 2.66A 16W Class I

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals
CERTIFIED

APPROVALS®

Certificate of Conformity/Approval

Models	Trade Name	Rating/Marking
GT-46181-1609-2.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 7Vdc 2.28A 16W Class I
GT-46181-1609-1.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 8Vdc 2A 16W Class I
GT-46181-1609-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 9Vdc 1.77A 16W Class I
GT-46181-1612-2.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 10Vdc 1.6A 16W Class I
GT-46181-1612-1.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 11Vdc 1.45A 16W Class I
GT-46181-1612-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 12Vdc 1.33A 16W Class I
GT-46181-1615-2.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13Vdc 1.23A 16W Class I
GT-46181-1615-1.5-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13.5Vdc 1.18A 16W Class I
GT-46181-1615-1.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 14Vdc 1.14A 16W Class I
GT-46181-1615-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 15Vdc 1.06A 16W Class I
GT-46181-1805-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 5Vdc 3.6A 18W Class I

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals
CERTIFIED

APPROVALS®

Certificate of Conformity/Approval

Models	Trade Name	Rating/Marking
GT-46181-1809-3.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 6Vdc 3A 18W Class I
GT-46181-1809-2.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 7Vdc 2.57A 18W Class I
GT-46181-1809-1.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 8Vdc 2.25A 18W Class I
GT-46181-1809-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 9Vdc 2A 18W Class I
GT-46181-1812-2.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 10Vdc 1.8A 18W Class I
GT-46181-1812-1.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 11Vdc 1.63A 18W Class I
GT-46181-1812-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 12Vdc 1.5A 18W Class I
GT-46181-1815-2.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13Vdc 1.38A 18W Class I
GT-46181-1815-1.0-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 14Vdc 1.28A 18W Class I
GT-46181-1815-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 15Vdc 1.2A 18W Class I
GT-46181-1812-4.5-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 7.5Vdc 2.4A 18W Class I

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals
CERTIFIED

Issued: 25-05-21 210631

APPROVALS®

Certificate of Conformity/Approval

Models	Trade Name	Rating/Marking
GT-46181-1812-2.5-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 9.5Vdc 1.89A 18W Class I
GT-46181-1815-1.5-T3A	G GLOBTEK,INC.	Input: 100-240V~ 50-60Hz 0.5A Output: 13.5Vdc 1.33A 18W Class I

R A Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein. For SAA Contact Details and Certificate verification, go to:
www.saaapprovals.com.au

JAS-ANZ
www.jas-anz.org/register

SAA Approvals
CERTIFIED