



# Licence

## for the use of SIQ certification mark

**Number:** SI-SIQ 063/062 **Project file:** C20150637

**Product:** ITE POWER SUPPLY

**Type reference:** GT-83081-WWVV-X.X-W2Z  
See page 2 for details

**Trademark:**  **GlobTek, Inc.**

**Ratings:** See page 2

**Applicant / Licensee:** **GlobTek, Inc.**  
186 Veterans Dr. Northvale, NJ 07647 USA

**Manufacturer:** GlobTek, Inc.  
186 Veterans Dr. Northvale, NJ 07647 USA

SIQ hereby grants the right to use the SIQ certification mark of conformity on the products specified in this document. The SIQ certification mark of conformity signifies the compliance of the products with requirements of cited standards.

**Certification mark:** 

**Standard:** EN 60950-1:2006 + A1:2010 + A2:2013 + A11:2009 + A12:2011

**Test report:** T221-0014/15

**Remarks:** This licence has been issued under the presumption and conditional on the fact that the licensee holds all necessary legal rights with regard to the product presented for testing and certification.  
This licence is valid as long as the conditions laid down in the listed standards are not modified significantly and until the licensee complies with the SIQ's rules on product certification.

**Date:** 2015-05-04

**Authorized signature:** Alja Pregl



*Only integral publication of this licence is allowed. This licence may only be reproduced in its entirety and without any changes. On request SIQ will give information about the validity of the licence.*

# Licence

## for the use of SIQ certification mark

**Number:** SI-SIQ 063/062

**Additional remarks:**

The list of critical components of the product for which this licence is granted is included in the test report.

**Places of manufacture, inspection file number:**

1. GlobTek, Inc.  
186 Veterans Dr . Northvale, NJ 07647 USA  
(15994-15994)
2. GlobTek (Suzhou) Co., Ltd  
Building 4, No. 76, Jin Ling East Rd., Suzhou Industrial Park, Jiangsu CN-215021, China  
(15994-27052)

**Model / Type ref.:**

GT-83081-WWVV-X.X-W2Z

- WW is the standard output wattage, with a maximum value of "12"
- VV is the standard rated output voltage designation, with a maximum value of "15"
- -X.X is optional or blank and denotes the output voltage differentiator, subtracting or adding X.X volts from standard output voltage VV in 0.1V increments, blank is to indicate the no voltage different.
- Z designates type of plug and can be E for European plug, U for British plug, blank for North American / Japan plug/Taiwan plug, C for Chinese plug, I for India plug, A for Australia plug, K for Korea plug, AR for Argentina plug, BR for Brazilian plug, SA for South African plug

**Ratings:**

GT-83081-WW05-X.X-W2Z

Input: 100 – 240 V~; 50/60 Hz; 0,5 A

Output: 3,3 – 5 V $\overline{=}$ ; Max. 2,0 A; Max. 10 W

GT-83081-WW09-X.X-W2Z

Input: 100 – 240 V~; 50/60 Hz; 0,5 A

Output: 5,1 – 8,9 V $\overline{=}$ ; Max. 2 A; Max. 10 W

GT-83081-WW09-W2Z

Input: 100 – 240 V~; 50/60 Hz; 0,5 A

Output: 9,0 V $\overline{=}$ ; Max. 1,2 A; Max. 12 W

**Date:** 2015-05-04

**Authorized signature:**

Alja Pregl



# Licence

## for the use of SIQ certification mark

**Number:** SI-SIQ 063/062

GT-83081-WW12-X.X-W2Z

Input: 100 – 240 V~; 50/60 Hz; 0,5 A

Output: 9,1 – 12,0 V $\overline{=}$ ; Max. 1,2 A; Max. 12 W

GT-83081-WW15-X.X-W2Z

Input: 100 – 240 V~; 50/60 Hz; 0,5 A

Output: 12,1 – 15,0 V $\overline{=}$ ; Max. 0,99 A; Max. 12 W

**Limitation:**

/

**Date:** 2015-05-04

**Authorized signature:**

Alja Pregl

