



Proof of Compliance

Document Number PoC9873

Certificate Holder GlobTek, Inc.
186 Veterans Drive
Northvale NJ 07647
USA

Product Description ITE Power Supply
Trade Name G GLOBTEK, INC.
Model Numbers GT-**-***** Series

Name Plate Ratings I/P 100-240V~ 50-60Hz 1.5A
O/P 5-54Vdc, 60W max

N136 Pty Ltd declares that the electrical article as described above meets the requirements of the standards listed below

Standard
AS/NZS 60950.1:2011 Inc A1
EN55032:2013

Evidenced by
Approval Certificate SAA-170301-EA issued 24 February 2017
N136 ACMA DoC CF9873_AU issued 1 March 2017

Compliance Mark/s RCM; SAA-17031-EA

Initial Date of Issue 1 March 2017
Expiry Date 24 February 2022

For and on behalf of

Pty Ltd

Registered Office Unit 4R 5 Rocla Road Traralgon Vic 3844 Australia



Addendum 01 to

Document Number PoC9873

Product Description ITE Power Supply
Date Of Issue 1 March 2017

General Modification:

The 1st '*' can be 'M', '-' or 'H' for market identification and is not related to safety;

The 2nd '*' can be '91099' or '96600' for market identification;

The 3rd '*' denotes the rated output power in Watts and can be '01-60' in steps of 1W;

The 4th & 5th '*' :

when the 2nd '*' = '91099':-

The 4th '*' denotes the standard rated output voltage (Vdc) and can be '09','15', '24' or '48';

The 5th '*' is optional deviation, subtracted from standard output voltage, and can be '-0.01' to '-23.9' in intervals of 0.01V, or blank to indicate no voltage difference;

The 4th '*' and 5th '*' together denote the output voltage with a range of 5-48V;

When the 2nd * = 96600:-

The 4th '*' denotes the standard rated output voltage (Vdc) and can be '05-54' for 5.0-54.0Vdc in steps of 0.1V;

The 5th '*' is blank;

The 6th '*' denotes desktop type with inlet type and can be:-

'-T2' for desktop, Class II with C8 AC inlet,

'-T2A' for desktop, Class II, with C18 AC inlet (GT*96600-****Series) or C8 AC inlet (GT*91099-****Series),

'-T3' for desktop, Class I with C14 AC inlet,

'-T3A' for desktop, Class I with C6 AC inlet,

'-T2L' for desktop Class II with C8 AC inlet and housing with a DC jack,

'-T2AL' for desktop Class II with C18 AC inlet and housing with a DC jack,

'-T3L' for desktop Class I with C14 AC inlet and housing with a DC jack,

'-T3AL' for desktop Class I with C6 AC inlet and housing with a DC jack,

'-R2' for hybrid desktop housing Class II with C8 AC inlet,

'-R3A' for hybrid desktop housing Class I with C6 AC inlet;

The 7th '*' can be a combination of six of the following characters '0-9', 'A-Z', '(', ')', '[,]', '-' or blank and is for marketing purposes only.

For and on behalf of

i36 Pty Ltd

Registered Office 4R 5 Rocla Road Traralgon Vic 3844