

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Direct plug-in power supply unit

Name and address of the applicant

GlobTek, Inc.
186 Veterans Drive,
Northvale, NJ 07647, New Jersey USA

Name and address of the manufacturer

GlobTek, Inc.
186 Veterans Drive,
Northvale, NJ 07647, New Jersey USA

Name and address of the factory

See page 2.

Note: When more than one factory, please report on page 2

Ratings and principal characteristics

☒ Additional Information on page 2

See page 3.

Trademark (if any)

GlobTek

Customer's Testing Facility (CTF) Stage used

/

Model / Type Ref.

GTM41076-06xxA ("xx" can be any rated output voltage
between 5 and 30 Vdc) - See page 2 for details.Additional information (if necessary may also
be reported on page 2)

See page 3.

A sample of the product was tested and found
to be in conformity with☒ Additional Information on page 2

IEC 60601-1:2005 + A1:2012

As shown in the Test Report Ref. No. which
forms part of this Certificate


T223-0556/19, issued on 2019-09-30

This CB Test Certificate is issued by the National Certification Body

SIQ Ljubljana, Tržaška cesta 2, SI-1000 Ljubljana, Slovenia
T +386 1 4778 100, F +386 1 4778 444, info@siq.si, www.siq.siSIQ Ljubljana is accredited by Slovenian Accreditation with accreditation number CP-001 in the
field of certification of products, processes and services.

Date: 2019-09-30

Signature: Bojan Pečavar



Name and address of the factory:

1) GlobTek, Inc.
186 Veterans Drive
Northvale, NJ-07647, New Jersey, USA

2) GlobTek (Suzhou) Co., Ltd
Building 4, No. 76, Jinling East Road, Suzhou Industrial Park,
Jiangsu CN-215021, China

Model/Type reference:

GTM41076-06xxA ("xx" can be any rated output voltage between 5 and 30 Vdc)

Model name	Output ratings (output DC voltage / output current)
GTM41076-0605A	5,0 Vdc / 1,2 A
GTM41076-0606-0.9A	5,1 Vdc / 1,176 A
GTM41076-0606A	6,0 Vdc / 1,0 A
GTM41076-0607A	7,0 Vdc / 0,85 A
GTM41076-0609-0.5A	8,5 Vdc / 0,705 A
GTM41076-0609A	9,0 Vdc / 0,66 A
GTM41076-0612A	12,0 Vdc / 0,5 A
GTM41076-0615A	15,0 Vdc / 0,4 A
GTM41076-0618A	18,0 Vdc / 0,33 A
GTM41076-0620A	20,0 Vdc / 0,3 A
GTM41076-0624A	24,0 Vdc / 0,25 A
GTM41076-0630A	30,0 Vdc / 0,16 A

Additional information (if necessary)

Date: 2019-09-30

Signature: Bojan Pečavar



Ratings and principal characteristics:

I/P: 100-240 V~; 50-60 Hz; 0.16-0.1 A, Class II

O/P: See table below.

Model name	Output ratings (output DC voltage / output current)
GTM41076-0605A	5,0 Vdc / 1,2 A
GTM41076-0606A	6,0 Vdc / 1,0 A
GTM41076-0607A	7,0 Vdc / 0,85 A
GTM41076-0609A	9,0 Vdc / 0,66 A
GTM41076-0612A	12,0 Vdc / 0,5 A
GTM41076-0615A	15,0 Vdc / 0,4 A
GTM41076-0618A	18,0 Vdc / 0,33 A
GTM41076-0620A	20,0 Vdc / 0,3 A
GTM41076-0624A	24,0 Vdc / 0,25 A
GTM41076-0630A	30,0 Vdc / 0,16 A

Additional information (if necessary)

This CB test certificate substitutes previously issued CB test certificate No. SI-3463, dated 2012-11-23, due to update of test report.

Date: 2019-09-30

Signature: Bojan Pečavar

