

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

ITE Power Supply

Name and address of the applicant

GlobTek, Inc.  
186 Veterans Dr. Northvale, NJ 07647,  
United States of America

Name and address of the manufacturer

Same as applicant

Name and address of the factory

Note: When more than one factory, please report on page 2

See page 2

Ratings and principal characteristics

Input: 100-240V~, 50-60Hz, 0.3A;  
Output: 5-5.5VDC, Max 13W

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

-

Model / Type Ref.

GT\*46101-\*\*\*-USB

Additional information (if necessary may also be reported on page 2)

See page 2

A sample of the product was tested and found to be in conformity with

IEC 62368-1:2014

As shown in the Test Report Ref. No. which forms part of this Certificate

200903084SHA-001

This CB Test Certificate is issued by the National Certification Body

Intertek Semko AB  
Torshamnsgatan 43  
Box 1103  
SE-164 22 Kista, Sweden

intertek

Signature:

Hyden Li

Date: 18 December, 2020

## Factories

GlobTek, Inc.  
186 Veterans Dr. Northvale, NJ 07647 USA

GlobTek (Suzhou) Co., Ltd  
Building 4, No. 76 JinLing East Road, Suzhou Industrial Park, Suzhou, JiangSu, 215021, China

## Additional information

Explanation of the symbol “\*” in type designation GT\*46101-\*\*\*-USB.

The symbol can be:

The 1st “\*” can be “M” or “-” or “H” for market identification and not related to safety.

The 2nd “\*” denote the rated output wattage designation, which can be “01” to “13”, in step of 1 denote 1W.

The 3rd “\*” denote the standard rated output voltage designation, which can be “05”, “06”,

The 4th “\*” is optional deviation, subtracted from standard output voltage, which can be “-0.5” to “-0.9”, in step of 0.1 denote 0.1V, or blank to indicate no voltage different.

The 3rd and 4th “\*\*\*” together denote the output voltage, with a range of 5-5.5 volts.

Model list:

Model	Output Voltage	Max. output current	Max. output power
GT*46101-*05*-USB	5	2A	10W
GT*46101-*06*-USB	5.1-5.5V	2.54A	13W

Group- and national differences for the CENELEC countries and national differences for Japan, Australia/New Zealand, US and Canadian have been checked.

Date: 18 December, 2020

Signature: 