

Certificate of Conformity

Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).

CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	GlobTek, Inc.	Other Name	
Address	186 Veterans Drive Northvale New Jersey 07647 United States		
Client ID	108211	Global-Mark File Number:	108211-026
Certificate Number & Approval Mark	GMA-523989-EA	Revision Number	00
Certification Standard(s)	AS/NZS 61558.2.16:2022 Amd 1: 2023 & AS/NZS 61558.1:2018 Amd 1: 2020 Safety of power transformers, power supplies, reactors and similar products for supply voltages up to 1 100 V - Particular requirements for switch mode power supply units and transformers for switch mode power supply units		
Type of Certification	Electrical Safety Product	Scheme	Global-Mark Electrical Product Safety Certification Scheme

System 1 Approval

CERTIFICATE DATES

Certificate Issue Date	19/08/2025
Certificate Last Update Date	
Certification Expiry Date	19/08/2030

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2412	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:12VDC, 2.0A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2415-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:13VDC, 1.84A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2415-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:14VDC, 1.71A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2415	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:15VDC, 1.6A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2419-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:16VDC, 1.5A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2419-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:17VDC, 1.41A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2419-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:18VDC, 1.33A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2419	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:19VDC, 1.26A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2424-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:20VDC, 1.2A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2424-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:21VDC, 1.14A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2424-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:22VDC, 1.09A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2424-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:23VDC, 1.04A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2424	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:24VDC, 1.0A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2512	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:12VDC, 2.08A, 25W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 2 of 10

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2515-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:13VDC, 1.92A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2515-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:14VDC, 1.78A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2515	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:15VDC, 1.66A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2519-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:16VDC, 1.56A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2519-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:17VDC, 1.47A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2519-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:18VDC, 1.38A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2519	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:19VDC, 1.31A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2524-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:20VDC, 1.25A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2524-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:21VDC, 1.19A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2524-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:22VDC, 1.13A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2524-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:23VDC, 1.08A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-2524	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:24VDC, 1.04A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3012	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:12VDC, 2.5A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3015-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:13VDC, 2.30A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3015-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:14VDC, 2.14A, 30W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 3 of 10

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3015	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:15VDC, 2.0A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3019-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:16VDC,1.875A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3019-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:17VDC, 1.76A,30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3019-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:18VDC, 1.66A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3019	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:19VDC, 1.57A,30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3024-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:20VDC, 1.5A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3024-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:21VDC, 1.42A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3024-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:22VDC, 1.36A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3024-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:23VDC,1.30A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3024	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:24VDC, 1.25A,30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3612	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:12VDC, 3.0A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3615-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:13VDC, 2.76A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3615-1.5	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A.; Output:13.5VDC, 2.66A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3615-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:14VDC,2.57A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3615	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:15VDC, 2.4A, 36W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 4 of 10

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3619-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:16VDC, 2.25A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3619-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A; Output:17VDC,2.11A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3619-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:18VDC, 2.0A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3619	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:19VDC, 1.89A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3624-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A .; Output:20VDC, 1.8A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3624-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:21VDC, 1.71A,36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3624-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:22VDC, 1.63A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3624-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A; Output:23VDC, 1.56A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-3624	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:24VDC,1.5A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4015-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:14VDC, 2.85A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4015	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:15VDC,2.66A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4019-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A; Output:16VDC, 2.5A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4019-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:17VDC, 2.35A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4019-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:18VDC, 2.22A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4019	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:19VDC, 2.10A, 40W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 5 of 10

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4024-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:20VDC,2.0A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4024-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:21VDC,1.90A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4024-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:22VDC, 1.81A,40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4024-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:23VDC, 1.73A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GT-46401-4024	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A; Output:24VDC, 1.66A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2412	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:12VDC, 2.0A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2415-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:13VDC, 1.84A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2415-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A; Output:14VDC,1.71A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2415	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:15VDC,1.6A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2419-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:16VDC, 1.5A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2419-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:17VDC, 1.41A,24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2419-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:18VDC, 1.33A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2419	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:19VDC, 1.26A,24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2424-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:20VDC, 1.2A,24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2424-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:21VDC,1.14A, 24W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 6 of 10

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2424-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:22VDC, 1.09A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2424-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:23VDC,1.04A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2424	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:24VDC, 1.0A, 24W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2512	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:12VDC, 2.08A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2515-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:13VDC, 1.92A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2515-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:14VDC, 1.78A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2515	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:15VDC, 1.66A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2519-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:16VDC, 1.56A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2519-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:17VDC,1.47A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2519-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:18VDC,1.38A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2519	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:19VDC, 1.31A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2524-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:20VDC, 1.25A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2524-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:21VDC, 1.19A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2524-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:22VDC, 1.13A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2524-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:23VDC, 1.08A, 25W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 7 of 10

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-2524	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:24VDC, 1.04A, 25W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3012	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:12VDC, 2.5A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3015-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:13VDC, 2.30A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3015-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:14VDC, 2.14A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3015	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:15VDC, 2.0A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3019-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:16VDC,1.875A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3019-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A .; Output:17VDC, 1.76A,30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3019-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A .; Output:18VDC, 1.66A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3019	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:19VDC, 1.57A,30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3024-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:20VDC, 1.5A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3024-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A; Output:21VDC, 1.42A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3024-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:22VDC, 1.36A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3024-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:23VDC,1.30A, 30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3024	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:24VDC, 1.25A,30W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3612	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:12VDC, 3.0A, 36W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager



Page 8 of 10

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3615-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:13VDC, 2.76A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3615-1.5	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A.; Output:13.5VDC, 2.66A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3615-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:14VDC,2.57A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3615	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:15VDC, 2.4A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3619-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:16VDC, 2.25A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3619-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A; Output:17VDC,2.11A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3619-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:18VDC, 2.0A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3619	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:19VDC, 1.89A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3624-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A. ; Output:20VDC, 1.8A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3624-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:21VDC, 1.71A,36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3624-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:22VDC, 1.63A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3624-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A; Output:23VDC, 1.56A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-3624	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:24VDC,1.5A, 36W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4015-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:14VDC, 2.85A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4015	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:15VDC,2.66A, 40W

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager

Page 9 of 10

Certificate of Conformity

Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4019-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A; Output:16VDC, 2.5A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4019-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:17VDC, 2.35A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4019-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:18VDC, 2.22A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4019	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:19VDC, 2.10A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4024-4.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:20VDC,2.0A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4024-3.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:21VDC,1.90A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4024-2.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:22VDC, 1.81A,40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4024-1.0	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A ; Output:23VDC, 1.73A, 40W
Power Supply or Charger	ICT/ITE Power supply	GlobTek, Inc.	GTM46401-4024	Input:100-240VAC, 50-60Hz or 50/60Hz, 1.0A; Output:24VDC, 1.66A, 40W

RELEVANT TRADEMARK (S)

COMMENTS OR CONDITIONS ON THE CERTIFICATION

2025/08/19 Initial Certification
Power supply for general use
Complies with Appendix J of AS/NZS 3112 2017 A1

End of document

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.



Certification Manager