## CERTIFICATE OF COMPLIANCE

20130207-E341351 Certificate Number E341351-A59-UL Report Reference 2013-FEBRUARY-07 **Issue Date** 

> GLOBTEK (HONG KONG) LTD Issued to:

> > UNIT 1402, BENSON TOWER 74 HUNG TO RD, KWUN TONG

KOWLOON HONG KONG

This is to certify that representative samples of POWER SUPPLIES, INFORMATION TECHNOLOGY **EQUIPMENT INCLUDING ELECTRICAL BUSINESS** 

**EQUIPMENT** 

See Addendum page

Have been investigated by UL in accordance with the

Standard(s) indicated on this Certificate.

UL 60950-1, 2nd Edition, 2011-12-19 (Information Standard(s) for Safety:

Technology Equipment - Safety - Part 1: General

Requirements)

CSA C22.2 No. 60950-1-07, 2nd Edition, 2011-12 (Information Technology Equipment - Safety - Part 1:

General Requirements)

Additional Information: See the UL Online Certifications Directory at

www.ul.com/database for additional information

Only those products bearing the UL Listing Mark for the US and Canada should be considered as being covered by UL's Listing and Follow-Up Service meeting the appropriate requirements for US and Canada.

The UL Listing Mark for the US and Canada generally includes: the UL in a circle symbol with "C" and "US" identifiers: <sup>[U]</sup> us the word "LISTED"; a control number (may be alphanumeric) assigned by UL; and the product category name (product identifier) as indicated in the appropriate UL Directory.

Look for the UL Listing Mark on the product.

North American Certification Programs

William R. Carrey

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) contact a local UL Customer Service Representative at <a href="https://www.ul.com/contactus">www.ul.com/contactus</a>



## CERTIFICATE OF COMPLIANCE

Certificate Number **Report Reference** 

**Issue Date** 

20130207-E341351 E341351-A59-UL 2013-FEBRUARY-07

Switching Power Adapter -

GTM91099-WWVV-X.X-AB series,

M can be "M" or "-" for market identification and not related to safety

WW is the rated output wattage designation, with a maximum value of "60";

VV is the standard rated output voltage designation, with a maximum value of "48";

-X.X denotes the optional deviation, subtracted or added from standard output voltage in 0.1 volt increments or blank to indicate the no voltage different;

VV-X.X together denotes the voltage range 5V to 48V;

A:T is External/Desktop model

B can be 2 or 3A, 2 presents Class II, 3A presents Class

William R. Carney, Director, North American Certification Programs

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any accontact a local UL Customer Service Representative at <a href="https://www.ul.com/contactus">www.ul.com/contactus</a>

