



Ref. Certif. No.

SE-77618M1

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

ITE Power Supply

Name and address of the applicant
Nom et adresse du demandeur

GlobTek Inc
186 Veterans Drive
Northvale NJ 07647, USA

Name and address of the manufacturer
Nom et adresse du fabricant

Same as above

Name and address of the factory
Nom et adresse de l'usine


See page 2

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{ème}

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

See page 2

Trademark (if any)
Marque de fabrication (si elle existe)



Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

-

Model / Type Ref.
Ref. De type

GT*41134*****, GT*96060*****, GT-41134-0606-W2-TAB

Additional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la 2^{ème} page)

See page 3

A sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1:2005+A1+A2

As shown in the Test Report Ref. No. which forms part of this Certificate
Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat

140900038SHA-002, 140900038SHA-002 M1

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification

Intertek Semko AB
Box 1103
SE-164 22 Kista, Sweden
Int +46 8 750 00 00

Intertek

Signature:

Gary Hu

Date: 1 December 2015

**Factories
Les usines**

GlobTek, Inc.
186 Veterans Dr. Northvale, NJ 0764,7 USA

GlobTek (Suzhou) Co., Ltd
Building 4, No. 76, Jin Ling East Rd., Suzhou Industrial Park, Suzhou, JiangSu 215021, China

**Ratings and principal characteristics
Valeurs nominales et caractéristiques principales**

Input:

GT*41134****, GT*96060****: 100-240V~, 50-60Hz, 0.3A or 0.6A;
GT-41134-0606-W2-TAB: 120V~, 60Hz, 0.3A

Output:

Model	voltage	Max. current	Max. power
GT*41134**03*** GT*96060**03***	3.3V	1.8A	6W
GT*41134**04*** GT*96060**04***	3.4-4V	1.76A	6W
GT*41134**06*** GT*96060**06***	4.1-6V	1.46A	6W
GT*41134**12*** GT*96060**12***	6.1-12V	0.98A	6W
GT*41134**15*** GT*96060*15***	12.1-15V	0.50A	6W
GT*41134**18*** GT*96060**18***	15.1-18V	0.40A	6W
GT*41134**24*** GT*96060**24***	18.1-24V	0.33A	6W
GT*41134**36*** GT*96060**36***	24.1-36V	0.25A	6W
GT*41134**48*** GT*96060**48***	36.1-48V	0.16A	6W
GT-41134-0606-W2-TAB	6V	1A	6W

Date: 1 December 2015

Signature: 

Additional information (if necessary)
Information complémentaire (si nécessaire)

Group differences for CENELEC countries and national difference for Singapore, Japan, China, Australia/New Zealand, Korea, Canada and USA have been checked.

Explanation of type designation GT*41134*****, GT*96060*****:

GT*41134***** and GT*96060*****:

The 1st "*" part can be 'M' or 'L' or 'H' for market identification and not related to safety.

The 2nd "*" part can be "-" or "CC", "-" = Constant Voltage Model, CC = Constant Current Model.

The 3rd "*" denotes the rated output wattage designation, which can be "01" to "06", with interval of 1.

The 4th "*" denotes the standard rated output voltage designation, which can be "03", "04", "06", "12", "15", "18", "24", "36" or "48". These *standard rated output voltage* designations correspond to seven isolated transformer models (See the appended table 1.5.1 for details). Each transformer model is identical in insulation construction including clearance and creepage except number of turns per coil.

The 5th "*" is optional deviation, subtracted from standard output voltage, which can be "-0.1" to "-11.9" with interval of 0.1, or blank to indicate no voltage different.

The 4th "*" and 5th "*" together denote the output voltage, with a range of 3.3 - 48 volts.

The 6th "*" = Blank means directly plug in model series,

= "-F" means Class I open frame model with connector which is fixing on the PCB,

= "-FW" means Class II open frame model with connector which is fixing on the PCB.


= "-FWT2" means open frame model with appliance inlet with Class II inlet C8 respectively,

= "-FT3A" means open frame model with appliance inlet with Class I inlet C6 respectively,

= "-FT3" means open frame model with appliance inlet with Class I inlet C14 respectively,

The last * denote any six character = 0-9 or A-Z or () or - or blank for marketing purposes.

This certificate replaces CB certificate SE-77618 dated 30 October, 2014. A new certificate has been issued due to:

1. Add new product model series: GT*96060*****.
2. Add alternative input current based on client's requirement.
3. Replace the old way of naming model series GT*41134-***,*** with a new way of naming model series GT*41134*****, update the explanation of model series.
4. Add a new structure type which used in model series: GT*41134***** and GT*96060*****.
5. Add new suppliers and models of transformer for model series: GT*41134***** and GT*96060*****.
6. Change the trade mark from "GlobTek" to .

Date: 1 December 2015

Signature: 