



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

**CERTIFICATE NO.:** 2014010907692948

**Valid from:** Oct.27,2022

**Valid until:** Oct.26,2027

**NAME AND REGISTERED  
ADDRESS OF THE APPLICANT**

GlobTek,Inc.  
186 Veterans Dr Northvale, NJ 07647 / USA

**NAME AND REGISTERED  
ADDRESS OF THE  
MANUFACTURER**

GlobTek,Inc.  
186 Veterans Dr Northvale, NJ 07647 / USA

**NAME AND LOCATION  
OF THE FACTORY**

GlobTek (Suzhou) Co., Ltd  
Building 4, No. 76 JinLing East Road,Suzhou Industrial Park, Suzhou, JiangSu, 215021, China.

**PRODUCT MODEL(S)**

power supply for business machine  
see appendix,Altitude up to 5000m , sale with duck head

**STANDARDS AND  
TECHNICAL REQUIREMENTS**

GB 17625.1-2012;GB 4943.1-2011;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2014)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: May.09,2014

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: [www.cnca.gov.cn](http://www.cnca.gov.cn)



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2014010907692948

page 1 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

Model: GT\*41134\*\*\*\*, GT\*96060\*\*\*\*

(The 1st “\*” part can be ‘M’ or ‘-’ or ‘H’ for market identification and not related to safety.

The 2nd “\*” part can be “-” or “CC”, “-” = Constant Voltage Model, CC = Constant Current Model.

The 3rd “\*” denotes the rated output wattage designation, which can be “01” to “06”, with interval of 1.

The 4th “\*” denotes the standard rated output voltage designation, which can be “03”, “03.3”, “04”, “06”, “12”, “15”, “18”, “24”, “36” or “48”.

The 5th “\*” is optional deviation, subtracted from standard output voltage, which can be “-0.1” to “- 11.9” with interval of 0.01, or blank to indicate no voltage different.

The 4th “\*” and 5th “\*” together denote the output voltage, with a range of 3.3 - 48 volts.

The 6th “\*” = Blank means directly plug in model series,

The last \* denote any six character = 0-9 or A-Z or ([ ] or – or blank for marketing purposes.)

Input: 100-240Vac, 0.3A or 0.6A, 50-60Hz,

Output: see below table:

Model	Output Voltage(Vdc)	Max.Output Current(A)	Max.Output Wattage(W)
GT*41134**03***	3.3V	1.8A	6W
GT*41134**04***	3.4-4V	1.76A	6W
GT*41134**06***	4.1-6V	1.46A	6W
GT*96060**06***	5-6V	1.2A	6W
GT*41134**12*** GT*96060**12***	6.1-12V	0.98A	6W
GT*41134**15*** GT*96060**15***	12.1-15V	0.50A	6W
GT*41134**18*** GT*96060**18***	15.1-18V	0.40A	6W
GT*41134**24*** GT*96060**24***	18.1-24V	0.33A	6W



CHINA QUALITY CERTIFICATION CENTRE



# CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2014010907692948

page 2 of 2

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

GT*41134**36***	24.1-36V	0.25A	6W
GT*41134**48***	36.1-48V	0.16A	6W



CHINA QUALITY CERTIFICATION CENTRE