



A P P R O V A L S ®

Certificate of Conformity/Approval

Certificate No.: SAA-210640-EA

Certificate Holder: GlobTek, Inc
186 Veterans Drive,
Northvale, NJ 07647
U.S.A.

Regulatory Definition: Power Supply or Charger
Product Description: ITE Power Supply (Direct plug-in)
Trade Name/s: G GLOBTEK, INC.
Model No.: GTM96060-0648
Rating/Marking/s: Input: 100-240V~ 50-60Hz 0.6A
Output: 48Vdc 0.125A 6W, Class II

Standard/s: AS/NZS 62368.1:2018
Condition/s: For use with audio/video, information or communication
technology equipment only.

Approval Marks: RCM (In accordance with AS/NZS 4417 and EESS requirements)
and
SAA-210640-EA (In accordance with NSW legislative requirements)

Initial Issue Date: 8 July 2021
Expiry Date: 8 July 2026

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-21 210640

Page 1 of 10



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
GTM41134-0312-4.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 8.0Vdc 0.3A 2.4W, Class II
GTM41134-0503	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 3.3Vdc 1.5A 5W, Class II
GTM41134-0504-0.5	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 3.5Vdc 1.42A 5W, Class II
GTM41134-0504	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 4.0Vdc 1.25A 5W, Class II
GTM41134-0506-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 5.0Vdc 1.0A 5W, Class II
GTM41134-0506	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 6.0Vdc 0.8A 5W, Class II
GTM41134-0512-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 9.0Vdc 0.6A 5W, Class II
GTM41134-0512	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 12.0Vdc 0.42A 5W, Class II
GTM41134-0515	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 15.0Vdc 0.33A 5W, Class II
GTM41134-0518	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 18.0Vdc 0.28A 5W, Class II
GTM41134-0524	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 24.0Vdc 0.21A 5W, Class II
GTM41134-0536	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 36.0Vdc 0.13A 5W, Class II
GTM41134-0548	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 48.0Vdc 0.1A 5W, Class II
GTM41134-0603	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 3.3Vdc 1.81A 6W, Class II
GTM41134-0604-0.5	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 3.5Vdc 1.71A 6W, Class II

R. A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-21 210640

Page 2 of 10



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
GTM41134-0604	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 4.0Vdc 1.5A 6W, Class II
GTM41134-0606-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 5.0Vdc 1.2A 6W, Class II
GTM41134-0606	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 6.0Vdc 1.0A 6W, Class II
GTM41134-0612-5.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 7.0Vdc 0.85A 6W, Class II
GTM41134-0612-4.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 8.0Vdc 0.75A 6W, Class II
GTM41134-0612-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 9.0Vdc 0.66A 6W, Class II
GTM41134-0612-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 10.0Vdc 0.6A 6W, Class II
GTM41134-0612-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 11.0Vdc 0.54A 6W, Class II
GTM41134-0612	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 12.0Vdc 0.5A 6W, Class II
GTM41134-0615-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 13.0Vdc 0.46A 6W, Class II
GTM41134-0615-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 14.0Vdc 0.42A 6W, Class II
GTM41134-0615	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 15.0Vdc 0.4A 6W, Class II
GTM41134-0618-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 16.0Vdc 0.375A 6W, Class II
GTM41134-0618-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 17.0Vdc 0.35A 6W, Class II
GTM41134-0618	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 18.0Vdc 0.33A 6W, Class II

R. A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-21 210640

Page 3 of 10



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
GTM41134-0624-5.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 19.0Vdc 0.31A 6W, Class II
GTM41134-0624-4.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 20.0Vdc 0.3A 6W, Class II
GTM41134-0624-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 21.0Vdc 0.28A 6W, Class II
GTM41134-0624-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 22.0Vdc 0.27A 6W, Class II
GTM41134-0624-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 23.0Vdc 0.26A 6W, Class II
GTM41134-0624	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 24.0Vdc 0.25A 6W, Class II
GTM41134-0636-11.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 25.0Vdc 0.24A 6W, Class II
GTM41134-0636-10.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 26.0Vdc 0.23A 6W, Class II
GTM41134-0636-9.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 27.0Vdc 0.22A 6W, Class II
GTM41134-0636-8.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 28.0Vdc 0.21A 6W, Class II
GTM41134-0636-7.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 29.0Vdc 0.2A 6W, Class II
GTM41134-0636-6.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 30.0Vdc 0.2A 6W, Class II
GTM41134-0636-5.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 31.0Vdc 0.19A 6W, Class II
GTM41134-0636-4.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 32.0Vdc 0.18A 6W, Class II
GTM41134-0636-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 33.0Vdc 0.18A 6W, Class II

R.A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-21 210640

Page 4 of 10



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
GTM41134-0636-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 34.0Vdc 0.17A 6W, Class II
GTM41134-0636-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 35.0Vdc 0.17A 6W, Class II
GTM41134-0636	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 36.0Vdc 0.16A 6W, Class II
GTM41134-0648-11.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 37.0Vdc 0.16A 6W, Class II
GTM41134-0648-10.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 38.0Vdc 0.15A 6W, Class II
GTM41134-0648-9.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 39.0Vdc 0.15A 6W, Class II
GTM41134-0648-8.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 40.0Vdc 0.15A 6W, Class II
GTM41134-0648-7.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 41.0Vdc 0.14A 6W, Class II
GTM41134-0648-6.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 42.0Vdc 0.14A 6W, Class II
GTM41134-0648-5.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 43.0Vdc 0.13A 6W, Class II
GTM41134-0648-4.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 44.0Vdc 0.13A 6W, Class II
GTM41134-0648-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 45.0Vdc 0.13A 6W, Class II
GTM41134-0648-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 46.0Vdc 0.13A 6W, Class II
GTM41134-0648-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 47.0Vdc 0.12A 6W, Class II
GTM41134-0648	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 48Vdc 0.125A 6W, Class II

R. A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-21 210640

Page 5 of 10



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
GTM41134-0606-0.8	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 5.2Vdc 1.15A 6W, Class II
GTM41134-0612-5.5	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 6.5Vdc 0.92A 6W, Class II
GTM41134-0612-4.5	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 7.5Vdc 0.8A 6W, Class II
GTM41134-0636-7.8	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 28.2Vdc 0.21A 6W, Class II
GTM96060-0603	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 3.0Vdc 2.0A 6W, Class II
GTM96060-0604	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 4.0Vdc 1.5A 6W, Class II
GTM96060-0606-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 5.0Vdc 1.2A 6W, Class II
GTM96060-0606	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 6.0Vdc 1.0A 6W, Class II
GTM96060-0612-5.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 7.0Vdc 0.85A 6W, Class II
GTM96060-0612-4.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 8.0Vdc 0.75A 6W, Class II
GTM96060-0612-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 9.0Vdc 0.66A 6W, Class II
GTM96060-0612-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 10.0Vdc 0.6A 6W, Class II
GTM96060-0612-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 11.0Vdc 0.54A 6W, Class II
GTM96060-0612	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 12.0Vdc 0.5A 6W, Class II
GTM96060-0615-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 13.0Vdc 0.46A 6W, Class II

R.A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-21 210640

Page 6 of 10



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
GTM96060-0615-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 14.0Vdc 0.42A 6W, Class II
GTM96060-0615	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 15.0Vdc 0.4A 6W, Class II
GTM96060-0618-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 16.0Vdc 0.375A 6W, Class II
GTM96060-0618-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 17.0Vdc 0.35A 6W, Class II
GTM96060-0618	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 18.0Vdc 0.33A 6W, Class II
GTM96060-0624-5.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 19.0Vdc 0.31A 6W, Class II
GTM96060-0624-4.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 20.0Vdc 0.3A 6W, Class II
GTM96060-0624-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 21.0Vdc 0.28A 6W, Class II
GTM96060-0624-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 22.0Vdc 0.27A 6W, Class II
GTM96060-0624-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 23.0Vdc 0.26A 6W, Class II
GTM96060-0624	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 24.0Vdc 0.25A 6W, Class II
GTM96060-0636-11.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 25.0Vdc 0.24A 6W, Class II
GTM96060-0636-10.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 26.0Vdc 0.23A 6W, Class II
GTM96060-0636-9.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 27.0Vdc 0.22A 6W, Class II
GTM96060-0636-8.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 28.0Vdc 0.21A 6W, Class II

R.A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-21 210640

Page 7 of 10



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
GTM96060-0636-7.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 29.0Vdc 0.2A 6W, Class II
GTM96060-0636-6.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 30.0Vdc 0.2A 6W, Class II
GTM96060-0636-5.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 31.0Vdc 0.19A 6W, Class II
GTM96060-0636-4.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 32.0Vdc 0.18A 6W, Class II
GTM96060-0636-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 33.0Vdc 0.18A 6W, Class II
GTM96060-0636-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 34.0Vdc 0.17A 6W, Class II
GTM96060-0636-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 35.0Vdc 0.17A 6W, Class II
GTM96060-0636	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 36.0Vdc 0.16A 6W, Class II
GTM96060-0648-11.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 37.0Vdc 0.16A 6W, Class II
GTM96060-0648-10.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 38.0Vdc 0.15A 6W, Class II
GTM96060-0648-9.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 39.0Vdc 0.15A 6W, Class II
GTM96060-0648-8.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 40.0Vdc 0.15A 6W, Class II
GTM96060-0648-7.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 41.0Vdc 0.14A 6W, Class II
GTM96060-0648-6.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 42.0Vdc 0.14A 6W, Class II
GTM96060-0648-5.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 43.0Vdc 0.13A 6W, Class II

R.A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-21 210640

Page 8 of 10



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
GTM96060-0648-4.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 44.0Vdc 0.13A 6W, Class II
GTM96060-0648-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 45.0Vdc 0.13A 6W, Class II
GTM96060-0648-2.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 46.0Vdc 0.13A 6W, Class II
GTM96060-0648-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 47.0Vdc 0.12A 6W, Class II
GTM96060-0203	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 3.3Vdc 0.7A 2.3W, Class II
GTM96060-0212-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 9.0Vdc 0.25A 2.25W, Class II
GTM96060-0312-4.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 8.0Vdc 0.3A 2.4W, Class II
GTM96060-0312-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 9.0Vdc 0.27A 2.43W, Class II
GTM96060-0412	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 12.0Vdc 0.3A 3.6W, Class II
GTM96060-0512-3.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 9.0Vdc 0.5A 4.5W, Class II
GTM96060-0606-0.05	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 5.95Vdc 1.0A 5.95W, Class II
GTM96060-0606-0.8	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 5.2Vdc 1.15A 6W, Class II
GTM96060-0606-0.5	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 5.5Vdc 1.09 A 6W, Class II
GTM96060-0606-0.4	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 5.6Vdc 1.07A 6W, Class II
GTM96060-0612-5.3	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 6.7Vdc 0.89A 6W, Class II

R.A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-21 210640

Page 9 of 10



A P P R O V A L S ®

Certificate of Conformity/Approval

Additional Models	Trade Name	Rating/Marking
GTM96060-0612-4.5	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 7.5Vdc 0.8A 6W, Class II
GTM96060-0612-2.5	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 9.5Vdc 0.63A 6W, Class II
GTM96060-0615-1.5	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 13.5Vdc 0.44A 6W, Class II
GTM96060-0706-1.0	G GLOBTEK, INC.	Input: 100-240V~ 50-60Hz 0.6A Output: 5.0Vdc 1.5A 7.5W, Class II

R. A. Hill


For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au

JAS-ANZ



www.jas-anz.org/register



Issued: 08-07-21 210640
Page 10 of 10