

# Certificate of Conformity

**Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).**

## CERTIFICATION AND CERTIFICATE HOLDER DETAILS

Company Name	<b>GlobTek, Inc.</b>	Other Name	
Address	<b>186 Veterans Drive Northvale New Jersey 07647 United States</b>		
Client ID	<b>108211</b>	Global-Mark File Number:	<b>108211-001</b>
Certificate Number & Approval Mark	<b>GMA-511871-EA</b>	Revision Number	<b>01</b>
Certification Standard(s)	<b>AS/NZS 61558.2.16:2010 including A1 - 3 &amp; AS/NZS 3112:2017 App J Safety of power transformers, power supplies, reactors and similar products for supply voltages up to 1 100 V - Particular requirements for switch mode power supply units and transformers for switch mode power supply units</b>		
Type of Certification	<b>Electrical Safety Product</b>	<i>Scheme</i>	<b>Global-Mark Electrical Product Safety Certification Scheme</b>

## CERTIFICATE DATES

Certificate Issue Date	<b>25/02/2022</b>
Certificate Last Update Date	<b>8/03/2022</b>
Certification Expiry Date	<b>25/02/2027</b>

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**



# Certificate of Conformity

CERTIFIED ELECTRICAL EQUIPMENT				
Declared Article	Product Description	Trade Name	Model Number	Rating
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-0507-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 1.0A, 5W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-0807-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 1.5A, 7.5W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-0911-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 1.0A, 9W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1007-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.0A, 10W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1007-1.1	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.9V, 1.69A, 10W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1011-1.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 10V, 1.0A, 10W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1107-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.2A, 11W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1107-1.8	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.2V, 2.11A, 11W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1107-1.1	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.9V, 1.86A, 11W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1111-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 1.22A, 11W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1117.9-5.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 0.91A, 11W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1130-6.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.45A, 11W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1207-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.4A, 12W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1207-1.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 6V, 2.0A, 12W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1207-0.8	Input:100-240VAC, 50-60Hz, 0.6A; Output 6.2V, 1.93A, 12W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1217.9-5.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 1.0A, 12W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1230-6.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.5A, 12W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1307-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.5A, 12.5W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1311-3.5	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 1.66A, 12.5W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1317.9-5.4	Input:100-240VAC, 50-60Hz, 0.6A; Output 12.5V, 1.0A, 12.5W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1407	Input:100-240VAC, 50-60Hz, 0.6A; Output 7V, 2.0A, 14W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1507-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 3.0A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1507-1.05	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.95V, 2.52A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1507-1.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 6V, 2.5A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1511-3.5	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 2.0A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1511-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 1.66A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1511-1.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 10V, 1.5A, 15W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**





global-mark®

# Certificate of Conformity

Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1517.9-5.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 1.25A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1517.9-2.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 15V, 1.0A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1530-12.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 0.83A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1530-6.0	Input:100-240VAC, 50-60Hz, 0.6A, Output 24V, 0.625A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1548	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.31A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1607-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 3.2A, 16W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1607-1.8	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.2V, 3.07A, 16W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1607-1.5	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.5V, 2.9A, 16W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1611-3.5	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 2.13A, 16W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1807-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 3.6A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1807-1.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.1V, 3.52A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1807-1.8	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.2V, 3.46A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1807-1.5	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.5V, 3.27A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1807-1.05	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.95V, 3.02A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1807-1.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 6V, 3.0A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1807	Input:100-240VAC, 50-60Hz, 0.6A; Output 7V, 2.57A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1811-3.5	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 2.4A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1811-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 2.0A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1817.9-7.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 10V, 1.8A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1817.9-5.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 1.5A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1817.9-4.4	Input:100-240VAC, 50-60Hz, 0.6A; Output 13.5V, 1.33A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1817.9-3.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 14V, 1.28A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1817.9-2.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 15V, 1.2A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1817.9-1.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 16V, 1.12A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1817.9-0.9	Input:100-240VAC, 50-60Hz, 0.6A; Output 17V, 1.05A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1830-12.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1830-11.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V, 0.94A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1830-10.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 20V, 0.9A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1830-8.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 22V, 0.81A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1830-6.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager





global-mark®

# Certificate of Conformity

Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1830-3.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 27V, 0.66A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1830	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1838-2.0	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1838	Input:100-240VAC, 50-60Hz, 0.6A; Output 38V, 0.47A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1848	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1207-2.0-CF	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.4A, 12W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1311-3.5-CF	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 1.75A, 13.1W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1511-2.0-CF	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 1.66A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1511-1.0-CF	Input:100-240VAC, 50-60Hz, 0.6A; Output 10V, 1.5A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1517.9-5.9-CF	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 1.25A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1517.9-2.9-CF	Input:100-240VAC, 50-60Hz, 0.6A; Output 15V, 1.0A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1530-12.0-CF	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 0.83A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1530-6.0-CF	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.625A, 15W
Power Supply or Charger	Power Supply Unit Interchangeable plug	GlobTek, Inc.	GTM96180-1548-CF	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.31A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-0507-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 1.0A, 5W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-0807-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 1.5A, 7.5W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-0911-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 1.0A, 9W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1007-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.0A, 10W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1007-1.1-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.9V, 1.69A, 10W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1011-1.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 10V, 1.0A, 10W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1107-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.2A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1107-1.8-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.2V, 2.11A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1107-1.1-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.9V, 1.86A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1111-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 1.22A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1117.9-5.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 0.91A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1130-6.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.45A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1207-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.4A 12W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1207-1.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 6V, 2.0A, 12W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1207-0.8-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 6.2A, 1.93A, 12W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1217.9-5.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 1.0A, 12W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager





global-mark®

# Certificate of Conformity

Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1230-6.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.5A, 12W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1307-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A, Output 5V, 2.5A, 12.5W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1311-3.5-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 1.66A,12.5W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1317.9-5.4-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 12.5V, 1.0A, 12.5W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1407-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 7V, 2.0A, 14W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1507-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 3.0A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1507-1.05-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.95V, 2.52A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1507-1.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 6V, 2.5A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1511-3.5-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 2.0A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1511-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 1.66A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1511-1.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 10V, 1.5A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1517.9-5.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 1.25A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1517.9-2.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 15V, 1.0A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1530-12.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 0.83A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1530-6.0-T2	Input:100-240VAC, 50-60Hz, 0.6A, Output 24V, 0.625A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1548-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.31A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1607-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 3.2A, 16W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1607-1.8-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.2V, 3.07A, 16W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1607-1.5-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.5V, 2.9A, 16W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1611-3.5-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 2.13A, 16W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 3.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-1.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.1V, 3.52A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-1.8-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.2V, 3.46A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-1.5-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.5V, 3.27A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-1.05-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.95V, 3.02A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-1.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 6V, 3.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 7V, 2.57A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1811-3.5-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 2.4A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1811-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 2.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-7.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 10V, 1.8A, 18W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER



global-mark®

# Certificate of Conformity

Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-5.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 1.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-4.4-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 13.5V, 1.33A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-3.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 14V, 1.28A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-2.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 15V, 1.2A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-1.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 16V, 1.12A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-0.9-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 17V, 1.05A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-12.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-11.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V, 0.94A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-10.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 20V, 0.9A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-8.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 22V, 0.81A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-6.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-3.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 27V, 0.66A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1838-2.0-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1838-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 38V, 0.47A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1848-T2	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-0507-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 1.0A, 5W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-0807-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 1.5A, 7.5W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-0911-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 1.0A, 9W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1007-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.0A, 10W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1007-1.1-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.9V, 1.69A, 10W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1011-1.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 10V, 1.0A, 10W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1107-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.2A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1107-1.8-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.2V, 2.11A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1107-1.1-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.9V, 1.86A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1111-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 1.22A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1117.9-5.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 0.91A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1130-6.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 124V, 0.45A, 11W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1207-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.4A 12W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1207-1.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 6V, 2.0A, 12W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager





global-mark®

# Certificate of Conformity

Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1207-0.8-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 6.2A, 1.93A, 12W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1217.9-5.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 1.0A, 12W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1230-6.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.5A, 12W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1307-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 2.5A, 12.5W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1311-3.5-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 1.66A, 12.5W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1317.9-5.4-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 12.5V, 1.0A, 12.5W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1407-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 7V, 2.0A, 14W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1507-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 3.0A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1507-1.05-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.95V, 2.52A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1507-1.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 6V, 2.5A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1511-3.5-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 2.0A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1511-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 1.66A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1511-1.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 10V, 1.5A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1517.9-5.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 1.25A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1517.9-2.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 15V, 1.0A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1530-12.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 0.83A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1530-6.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.625A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1548-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.31A, 15W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1607-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 3.2A, 16W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1607-1.8-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.2V, 3.07A, 16W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1607-1.5-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.5V, 2.9A, 16W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1611-3.5-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 2.13A, 16W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5V, 3.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-1.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.1V, 3.52A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-1.8-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.2V, 3.46A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-1.5-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.5V, 3.27A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-1.05-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 5.95V, 3.02A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-1.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 6V, 3.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1807-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 7V, 2.57A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1811-3.5-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 7.5V, 2.4A, 18W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®





global-mark®

# Certificate of Conformity

Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1811-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 9V, 2.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-7.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 10V, 1.8A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-5.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 12V, 1.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-4.4-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 13.5V, 1.33A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-3.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 14V, 1.28A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-2.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 15V, 1.2A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-0.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 17V, 1.05A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1817.9-1.9-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 16V, 1.12A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-12.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-11.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V, 0.94A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-10.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 20V, 0.9A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-8.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 22V, 0.81A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-6.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-3.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 27V, 0.66A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1830-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1838-2.0-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1838-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 38V, 0.47A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GTM96180-1848-T2A	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-12.0-T2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-11.0-T2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V, 0.94A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-6.0-T2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-T2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1838-2.0-T2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1848-T2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1854-T2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 54V, 0.33A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1856-T2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 56V, 0.32A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-12.0-T2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-11.0-T2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V, 0.94A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-6.0-T2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-T2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager







global-mark®

# Certificate of Conformity

Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1838-2.0-T2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1848-T2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1854-T2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 54V, 0.33A 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1856-T2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 56V, 0.32A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-12.0-T2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-11.0-T2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V,0.94A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-6.0-T2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-T2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1838-2.0-T2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1848-T2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1854-T2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 54V, 0.33A 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1856-T2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 56V, 0.32A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-12.0-T2A-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-11.0-T2A-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V,0.94A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-6.0-T2A-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-T2A-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1838-2.0-T2A-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1848-T2A-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1854-T2A-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 54V, 0.33A 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1856-T2A-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 56V, 0.32A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-12.0-T2A-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-11.0-T2A-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V,0.94A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-6.0-T2A-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-T2A-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1838-2.0-T2A-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1848-T2A-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1854-T2A-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 54V, 0.33A 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1856-T2A-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 56V, 0.32A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-12.0-T2A-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-11.0-T2A-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V,0.94A, 18W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager





global-mark®

# Certificate of Conformity

Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-6.0-T2A-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-T2A-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1838-2.0-T2A-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1848-T2A-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1854-T2A-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 54V, 0.33A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1856-T2A-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 56V, 0.32A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-12.0-R2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-11.0-R2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V, 0.94A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-6.0-R2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1838-2.0-R2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1848-R2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1854-R2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 54V, 0.33A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1856-R2-AP	Input:100-240VAC, 50-60Hz, 0.6A; Output 56V, 0.32A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-12.0-R2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-11.0-R2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V, 0.94A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-6.0-R2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-R2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1838-2.0-R2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1848-R2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1854-R2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 54V, 0.33A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1856-R2-PP	Input:100-240VAC, 50-60Hz, 0.6A; Output 56V, 0.32A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-12.0-R2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 18V, 1.0A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-11.0-R2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 19V, 0.94A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-6.0-R2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 24V, 0.75A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1830-R2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 30V, 0.6A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1838-2.0-R2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 36V, 0.5A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1848-R2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 48V, 0.375A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1854-R2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 54V, 0.33A, 18W
Power Supply or Charger	Power Supply Unit desktop	GlobTek, Inc.	GT-96180-1856-R2-SP	Input:100-240VAC, 50-60Hz, 0.6A; Output 56V, 0.32A, 18W

This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



Certification Manager

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER



global-mark®


# *Certificate of Conformity*

**RELEVANT TRADEMARK (S)**

**COMMENTS OR CONDITIONS ON THE CERTIFICATION**

2022/03/08 Modification 1  
- revise model numbers

**End of document**



This certification remains valid until the above mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to [www.jas-anz.org/register](http://www.jas-anz.org/register) for verification.



**Certification Manager**

Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia



Global-Mark.com.au®



WWW.JAS-ANZ.ORG/REGISTER