# Certificate of Conformity

*Global-Mark Pty. Ltd., certify the electrical equipment described hereunder complies with standards listed herein and notifies the certificate holder to affix the authorised Approval Mark on the product of the same type and the Regulatory Compliance Mark (RCM) mark provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled. In placing the Approval and RCM mark on the product, the Responsible Supplier makes a declaration of compliance with the certification standard(s) and confirms that the product is identical to the product certified herein. – This Certificate meets the requirements of a Recognised External Certification Scheme (EESS- RECS) and a Recognised External Approval Scheme (NSW-REAS).*

## Certification and Certificate Holder Details

| | | | |
|---|---|---|---|
| Company Name | **GlobTek, Inc.** | Other Name | |
| Address | **186 Veterans Drive Northvale New Jersey 07647 United States** | | |
| Client ID | **108211** | Global-Mark File Number: **108211-024** | System 1 Approval |
| Certificate Number & Approval Mark | **GMA-521713-EA** | Revision Number | **01** |
| Certification Standard(s) | **AS/NZS 61558.2.16:2022 Amd 1: 2023 & AS/NZS 61558.1:2018 Amd 1: 2020, Amd 2: 2020 Safety of power transformers, power supplies, reactors and similar products for supply voltages up to 1 100 V - Particular requirements for switch mode power supply units and transformers for switch mode power supply units** | | |
| Type of Certification | **Electrical Safety Product** | *Scheme* | **Global-Mark Electrical Product Safety Certification Scheme** |

## Certificate Dates

| | |
|---|---|
| Certificate Issue Date | **21/01/2025** |
| Certificate Last Update Date | **5/02/2025** |
| Certification Expiry Date | **21/01/2030** |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

**Certification Manager**



*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| CERTIFIED ELECTRICAL EQUIPMENT | | | | |
|---|---|---|---|---|
| **Declared Article** | **Product Description** | **Trade Name** | **Model Number** | **Rating** |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P12012-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,10.0A,120.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P12512-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,10.41A,125.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13214-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:14.0Vdc,9.428A,132.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13024-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,5.42A,130.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13513.5-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:13.5Vdc,10.0A,135.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14412-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,12.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14415-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,9.6A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14418-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14419-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,7.57A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14424-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14436-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14448-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14454-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.66A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15012-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,12.5A,150.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15015-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.0A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15016-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:16.0Vdc,9.375A, 150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15018-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.33A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15019-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,7.89A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15024-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.25A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15036-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.16A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15048-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.125A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15054-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.77A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16012-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,13.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16015-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16018-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.88A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16019-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.42A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16019.5-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.5Vdc,8.2A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16024-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16026-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:26.0Vdc,6.15A,160.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16028-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:28.0Vdc,5.714A, 160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16036-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.44A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16048-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16054-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.96A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18019-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,9.47A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18024-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18036-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,.5.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18048-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.75A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18054-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.33A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P10812-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,9.0A,108.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P15030-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:30.0Vdc,5.0A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16012-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,13.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16013.5-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:13.5Vdc,11.85A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16015-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16018-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.88A,160.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16019-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.42A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16024-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16036-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.44A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16048-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16054-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.96A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17015-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,11.33A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17016.5-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:16.5Vdc, 10.3A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17018-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,9.44A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17019-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.94A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17024-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.08A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17036-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.72A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17048-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.54A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17054-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.14A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18019-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,9.47A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18019.5-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.5Vdc, 9.23A,180.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18020-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:20.0Vdc,9.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18024-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18028-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:28.0Vdc,6.42A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18030-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:30.0Vdc, 6.0A, 180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18036-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,5.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18040-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:40.0Vdc,4.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18048-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.75A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18054-T3 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.33A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P12012-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,10.0A,120.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P12512-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,10.41A,125.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13214-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:14.0Vdc,9.428A,132.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13024-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,5.42A,130.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13513.5-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:13.5Vdc,10.0A,135.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14412-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,12.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14415-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,9.6A,144.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14418-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14419-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,7.57A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14424-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14436-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14448-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14454-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.66A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15012-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,12.5A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15015-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.0A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15016-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:16.0Vdc,9.375A, 150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15018-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.33A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15019-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,7.89A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15024-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.25A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15036-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.16A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15048-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.125A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15054-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.77A,150.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16012-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,13.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16015-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16018-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.88A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16019-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.42A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16019.5-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.5Vdc,8.2A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16024-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16026-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:26.0Vdc,6.15A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16028-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:28.0Vdc,5.714A, 160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16036-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.44A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16048-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16054-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.96A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18019-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,9.47A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18024-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18036-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,.5.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18048-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.75A,180.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18054-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.33A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P10812-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,9.0A,108.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P15030-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:30.0Vdc,5.0A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16012-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,13.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16013.5-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:13.5Vdc,11.85A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16015-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16018-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.88A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16019-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.42A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16024-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16036-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.44A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16048-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16054-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.96A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17015-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,11.33A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17016.5-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:16.5Vdc, 10.3A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17018-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,9.44A,170.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ
WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17019-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.94A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17024-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.08A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17036-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.72A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17048-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.54A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17054-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.14A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18019-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,9.47A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18019.5-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.5Vdc, 9.23A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18020-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:20.0Vdc,9.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18024-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18028-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:28.0Vdc,6.42A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18030-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:30.0Vdc, 6.0A, 180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18036-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,5.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18040-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:40.0Vdc,4.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18048-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.75A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18054-T3A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.33A,180.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P12012-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,10.0A,120.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P12512-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,10.41A,125.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13214-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:14.0Vdc,9.428A,132.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13024-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,5.42A,130.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13513.5-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:13.5Vdc,10.0A,135.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14412-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,12.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14415-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,9.6A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14418-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14419-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,7.57A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14424-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14436-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14448-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14454-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.66A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15012-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,12.5A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15015-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.0A,150.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ
WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15016-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:16.0Vdc,9.375A, 150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15018-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.33A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15019-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,7.89A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15024-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.25A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15036-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.16A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15048-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.125A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15054-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.77A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16012-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,13.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16015-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16018-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.88A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16019-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.42A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16019.5-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.5Vdc,8.2A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16024-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16026-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:26.0Vdc,6.15A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16028-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:28.0Vdc,5.714A, 160.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ
WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16036-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.44A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16048-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16054-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.96A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18019-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,9.47A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18024-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18036-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,.5.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18048-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.75A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18054-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.33A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P10812-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,9.0A,108.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P15030-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:30.0Vdc,5.0A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16012-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,13.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16013.5-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:13.5Vdc,11.85A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16015-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16018-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.88A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16019-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.42A,160.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16024-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16036-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.44A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16048-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16054-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.96A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17015-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,11.33A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17016.5-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:16.5Vdc, 10.3A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17018-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,9.44A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17019-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.94A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17024-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.08A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17036-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.72A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17048-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.54A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17054-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.14A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18019-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,9.47A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18019.5-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.5Vdc, 9.23A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18020-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:20.0Vdc,9.0A,180.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18024-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18028-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:28.0Vdc,6.42A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18030-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:30.0Vdc, 6.0A, 180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18036-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,5.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18040-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:40.0Vdc,4.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18048-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.75A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18054-T2 | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.33A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P12012-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,10.0A,120.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P12512-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,10.41A,125.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13214-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:14.0Vdc,9.428A,132.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13024-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,5.42A,130.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P13513.5-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:13.5Vdc,10.0A,135.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14412-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,12.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14415-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,9.6A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14418-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.0A,144.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ
WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14419-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,7.57A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14424-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14436-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14448-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.0A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P14454-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.66A,144.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15012-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,12.5A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15015-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.0A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15016-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:16.0Vdc,9.375A, 150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15018-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.33A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15019-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,7.89A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15024-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.25A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15036-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.16A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15048-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.125A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P15054-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.77A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16012-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,13.33A,160.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ
WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16015-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16018-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.88A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16019-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.42A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16019.5-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.5Vdc,8.2A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16024-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16026-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:26.0Vdc,6.15A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16028-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:28.0Vdc,5.714A, 160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16036-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.44A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16048-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16054-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.96A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18019-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,9.47A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18024-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18036-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,.5.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18048-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.75A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P18054-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.33A,180.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P10812-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,9.0A,108.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P15030-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:30.0Vdc,5.0A,150.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16012-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:12.0Vdc,13.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16013.5-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:13.5Vdc,11.85A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16015-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,10.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16018-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.88A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16019-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.42A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16024-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,6.66A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16036-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.44A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16048-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.33A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16054-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,2.96A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17015-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,11.33A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17016.5-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:16.5Vdc, 10.3A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17018-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,9.44A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17019-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.94A,170.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*

Global-Mark.com.au®

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17024-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.08A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17036-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,4.72A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17048-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.54A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17054-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.14A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18019-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,9.47A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18019.5-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.5Vdc, 9.23A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18020-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:20.0Vdc,9.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18024-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18028-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:28.0Vdc,6.42A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18030-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:30.0Vdc, 6.0A, 180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18036-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:36.0Vdc,5.0A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18040-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:40.0Vdc,4.5A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18048-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:48.0Vdc,3.75A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18054-T2A | Input: 100-240V~ 50-60Hz 2.2A<br>Output:54.0Vdc,3.33A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18024-T3-CF | Input: 100-240V~ 50-60Hz 2.2A<br>Output:24.0Vdc,7.5A,180.0W |

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia

Global-Mark.com.au®

JAS-ANZ

WWW.JAS-ANZ.ORG/REGISTER

# Certificate of Conformity

| | | | | |
|---|---|---|---|---|
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17015-T3-CF | Input: 100-240V~ 50-60Hz 2.2A<br>Output:15.0Vdc,11.33A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P16018-T3-CF | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,8.88A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P18019-T3-CF | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,9.47A,180.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961800P17018-T3-CF | Input: 100-240V~ 50-60Hz 2.2A<br>Output:18.0Vdc,9.44A,170.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16026-T3-CF | Input: 100-240V~ 50-60Hz 2.2A<br>Output:26.0Vdc,6.15A,160.0W |
| Power Supply or Charger | ICT/ITE POWER SUPPLY | GlobTek, Inc. | GTM961600P16019-T3-CF | Input: 100-240V~ 50-60Hz 2.2A<br>Output:19.0Vdc,8.42A,160.0W |

| RELEVANT TRADEMARK (S) |
|---|
| |

| COMMENTS OR CONDITIONS ON THE CERTIFICATION |
|---|
| 2025/01/21 Initial Certification<br>Power supply for general use<br>2025/02/05 Modification 1<br>revised the list of pproducts |

**End of document**

This certification remains valid until the above-mentioned expiry date and subject to the organisation's continued compliance with the certification standard, and Global-Mark's Terms and Conditions. This Certificate of Conformity remains the property of Global-Mark Pty Ltd, Company Number: ACN.108-087-654. The use of the Accreditation Mark indicates accreditation by the Joint Accreditation System of Australia and New Zealand in respect to those activities covered by JAS-ANZ accreditation. Refer to www.jasanz.org/register for verification.

Certification Manager



*Global-Mark Pty Ltd, Copyright 2012 - 407, 32 Delhi Road, North Ryde NSW 2113, Australia*