



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO.: 2017010907966769

Valid from: Oct.18,2023

Valid until: Apr.11,2027

NAME AND REGISTERED ADDRESS OF THE APPLICANT	GlobTek,Inc. 186 Veterans Dr. Northvale, NJ 07647 / USA
NAME AND REGISTERED ADDRESS OF THE MANUFACTURER	GlobTek,Inc. 186 Veterans Dr. Northvale, NJ 07647 / USA
NAME AND LOCATION OF THE FACTORY	GlobTek (Suzhou) Co., Ltd Building 4, No. 76 JinLing East Road,Suzhou Industrial Park, Suzhou, JiangSu, 215021, China.
PRODUCT MODEL(S)	ITE POWER SUPPLY See appendix (Altitude up to 5000m) (Sale without cord set)
STANDARDS AND TECHNICAL REQUIREMENTS	GB 17625.1-2022 (Class A) ;GB 4943.1-2022;GB/T 9254.1-2021

This is to certify that the above mentioned product(s) complies with the requirements of implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023)

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Date of original issued: May.19,2017

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

The certificate information is available through the QR code below or CNCA's website: www.cnca.gov.cn



SIGNATURE:

谢肇煦



CHINA QUALITY CERTIFICATION CENTRE



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

CERTIFICATE NO. : 2017010907966769

page 1 of 1

paper:

This certificate and attachments shall be used at the same time, and the verification instructions can be found in the main certificate.

GT*96600-**-** (1st * can be "M", "-" 或 "H", for market identification ; 2nd * denotes the rated output wattage designation, which can be "01" to "65", with interval of 1 ; 3rd * denote the standard rated output voltage designation, which can be "05" to "54" or "5.0" to "54.0" in 0.1V increments. ; 4th * can be T3 or T3A or R3A , Represents different appearance structures ; fifth * denote any six character = 0-9 or A-Z or ()[] or - or blank for marketing purposes)

Input : 100-240V ~ , 50-60Hz , 1.5A

The specifications are as follows

Model	DC Output voltage (Vdc)	Max Output current (A)	Max Output power (W)
GT*96600-**-**	5-6.7V	8	40
	6.8-11	6	60
	11.1-54	5.42	65



CHINA QUALITY CERTIFICATION CENTRE