

Handled by
Candy Liang
Direct telephone
+86 21 61278415
Reference
1910301
E-mail
Shanghai-LC@intertek.com
Your Reference
180500334SHA

Intertek S Mark Certificate with No. 1910301

We are pleased to enclose the Intertek S Mark Certificate you have applied for.

Thank You for S Marking your Products!

You have taken the first step to S Mark, but have you taken the next step by letting your customers know about your investment? When you use the S Mark in your marketing you are making clear that your company is truly committed to quality and safety. Positioning and differentiate yourself as a company which is dedicated to safety enables you to increase your sales – because in Europe safety sells.

The S Mark is highly recognized among retailers and authorities since 1926.

The S Mark also strengthens your brand by signaling that safety is important to your company and that you care about the safety of your clients. Since we value you as a customer we want to make sure you are getting the best value out of the S Mark. Many of our customers are already using the S Mark in their marketing. Popular media to use the mark is in campaigns, on packaging and in product catalogues. To find out more and to download tools, please visit <http://www.intertek.com/marks/s/>.



If you have any questions don't hesitate to contact us at info-sweden@intertek.com

Additional part of the certification

In addition to your product certification, we are conducting inspections at your manufacturing site/s. The inspections are carried out by our inspectors or subcontractors. For details of the technical requirements for these inspections, please visit <http://intertek.com/europeaninspection>

Your success is important to us!

Best Regards,



Gary Hu
Local Certification Manager

Certificate



for European Product Safety

Reference No. 1910301

ITE Power supply

Type designation	GT*96605-G2*****
Certificate holder	GlobTek, Inc. 186 Veterans Dr. Northvale, NJ 07647, USA
The product complies with the standard(s)	EN 60950-1: 2006+A11: 2009+A1: 2010+A12: 2011+A2: 2013
Date of expiry	20 December 2020
EU Directive information	<i>According to the principle of presumption of conformity, this certificate constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.</i>

Additional information in Appendix.

Certification Body Intertek Semko AB, Product Certification Place Shanghai

Signed

Gary Hu

Date 23 May 2019
Page 1 of 3



Intertek Appendix

Reference No. 1910301

Technical data

Type designation

GT*96605-G2*****

Input

100-240V~, 50-60Hz, 1.5A;

Output

Details see attachment

BRAND name:



Product information

The 1st "*" part can be 'M' or '-' or 'H' for market identification and not related to safety.

The 2nd "*" can be A1, A2, A3 denote different DC output voltage

When 2nd *=A1: 5V/4.6A, 5.8V/4.6A, 9V/4.4A, 12V/4A, 15V/3.6A and 20V/3A

When 2nd *=A2: 5V/3A, 5.8V/3A, 9V/3A, 12V/3A, 15V/3A and 20V/3A

When 2nd *=A3: 5V/4.6A, 5.8V/4.6A, 9V/4.4A, 12V/4A, 15V/3.6A, 20V/3A and any one

voltage/current combinations (Power Profiles), between 3.6V and 20V.

The 3rd "*" denotes blank or the rated output wattage designation, which can be "01" to "60", with interval of 0.1W.

The 4th "*" =-T2 means desktop class II with C8 AC inlet.

=-T2A means desktop class II with C18 AC inlet.

=-T3 means desktop class I with C14 AC inlet.

=-T3A means desktop class I with C6 AC inlet.

=-T3F means desktop class I with C14 AC inlet with

FLOATING OUTPUT.

=-T3AF means desktop class I with C6 AC inlet with

FLOATING OUTPUT.

=-R2 means hybrid desktop housing class II with C8

AC inlet.

=-R3A means hybrid desktop housing class I with C6

AC inlet.

=-R3AF means hybrid desktop housing class I with

C6 AC inlet with FLOATING OUTPUT.

The 5th "*" can be blank or -RA. -RA denotes the Product with RIGHT ANGLE daughter board (no output cord); blank denotes the product with output cord.

The last * denote any six character = 0-9 or A-Z or ()[] or – or blank for marketing purposes.

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.



Intertek Appendix

Reference No. 1910301

Attachment:

Model	Input	Output voltage (Vdc)	Max. output current (A)	Max. output power (W)
GT*96605-G2A1-T2/T2A/T3/T3A/T3F/T3AF/R2/R3A/R3AF**	100-240VAC, 50-60Hz, 1.5A	5V/4.6A, 5.8V/4.6A, 9V/4.4A, 12V/4A, 15V/3.6A and 20V/3A		
GT*96605-G2A2-T2/T2A/T3/T3A/T3F/T3AF/R2/R3A/R3AF**		5V/3A, 5.8V/3A, 9V/3A, 12V/3A, 15V/3A and 20V/3A		
GT*96605-G2A3*-T2/T2A/T3/T3A/T3F/T3AF/R2/R3A/R3AF**		3.6V - 6.9V	4.6A	30.8W
		7.0V - 11.9V	4.4A	48.0W
		12.0V - 14.9V	4.0A	54.0W
		15.0V - 17.9V	3.6A	57.6W
	18.0V - 20.0V	3.2A	60.0W	

Manufacturing site(s) GlobTek (Suzhou) Co., Ltd
 Building 4, No. 76, Jin Ling East Rd., Suzhou Industrial Park, Suzhou,
 JiangSu 215121,
 P.R.China

Safety related parts of the user instructions shall be written in a language acceptable to the country where the product is to be used.

If the product is to be marketed in different European countries, it must be provided with a certified plug appropriate for each country.

According to the principle of presumption of conformity, this certificate, which includes production control, constitutes support for an EC Declaration of Conformity and CE marking according to the Low Voltage Directive 2014/35/EU.

This presumption can expire before end of validity of this certificate due to new issued Standard or Amendment and changes within the EU legislation.

Certification Body Intertek Semko AB, Product Certification *Place* Shanghai

Signed  _____ *Date* 23 May 2019

This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.