


EMI TEST REPORT

Organization: GlobTek	Operator: gbt	EUT: P12036
Place: SHANGHAI	Time: 2007/9/20/15:34	
Detector: PK+AV	Test-time(ms): 10	
Limit:	Transductor:	
Remark: 110-I		

Start (MHz)	End (MHz)	Step (MHz)
0.150	30.000	0.004

scan result



final test


(AV)	freq (MHz)	lev (dBuV)	Lim (dBuV)	Δ (lev-Lim)
	0.195	52.4	64.7	-12.4
	0.352	48.0	60.2	-12.2
	1.057	45.7	56.0	-10.3

EMI TEST REPORT

Organization: GlobTek	Operator: gbt	EUT: P12036	parameter
Place: SHANGHAI	Time: 2007/9/20/12:12		
Detector: PK+AV	Test-time(ms): 10		
Limit:	Transductor:		
Remark: 110-N			

Start (MHz)	End (MHz)	Step (MHz)	freq, step
0.150	30.000	0.004	

dBuV scan result




EMI TEST REPORT

Organization: GlobTek	Operator: gbt	EUT: P12036	parameter
Place: SHANGHAI	Time: 2007/9/20/10:1		
Detector: PK+AV	Test-time(ms): 10		
Limit:	Transductor:		
Remark: 220-LVac			

Start (MHz)	End (MHz)	Step (MHz)	freq, step
0.150	30.000	0.004	

dBuV scan result



EMI TEST REPORT

Organization: GlobTek	Operator: gbt	EUT: P12036	parameter
Place: SHANGHAI	Time: 2007/9/20/10:11		
Detector: PK+AV	Test-time(ms): 10		
Limit:	Transductor:		
Remark: 220-N			

Start (MHz)	End (MHz)	Step (MHz)	freq, step
0.150	30.000	0.004	

dBuV scan result

