



海运 By Sea

货物运输条件鉴别报告书

Identification and Classification Report for Transport of Goods

锂电池

非限制性 (Not subject to these Regulations)

报告编号:

SEKSZ202101161628ZF670001

此报告本年度有效 有效期至2021年12月31日

Issued No:

签发日期:

2021.01.17

Issued Date:

委托单位:

GlobTek, Inc.

Applicant:

GlobTek,Inc.

物品名称:

锂离子电池组 BL1880F6835661S5PG9T 3.7V 9100mAh 33.67Wh

Name of Goods:

Lithium-ion Battery Pack BL1880F6835661S5PG9T 3.7V 9100mAh 33.67Wh

北京迪捷姆空运技术开发有限公司

Beijing DGM Air Transport Technology Development Co.,Ltd.



第1页共4页

有效 月31日

报告书使用约定

Terms of the Using of the Report

1. 本公司依据委托人(托运人或其代理人)提供的物品及其运输信息,确定货物的运输条件并出具此报告书。

The report is issued by DGM China according to the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

2. 依据鉴别的需要,本公司要求委托人提供真实、完整的货物样品及资料。

According to the demand of identification and classification, DGM China requires the applicant to provide true and exact sample and data of the cargo.

3. 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。

The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.

4. 本公司仅对样品的鉴别结果负责。

DGM China is only responsible for the identification and classification of the sample provided by the applicant.

5. 本报告书经主检员、审核人和批准人签字并加盖本公司印章后生效。

This report will be effective only after it is signed by the inspector:, checker and approver, and stamped by DGM China.

6. 未经本公司书面批准,不得复制本报告书。

The duplicating of this report is prohibited without the written approval of DGM China.

7. 私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。

The report is invalid when anything of the following happens - illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.

8. 报告书仅在本年度内有效。

This report is only valid within the year.

地址: 北京首都机场货运北路天竺综合保税区 BGS 货运楼 249 室

邮编: 101300

电话: 010-69479673

传真: 010-69479621

网址: www.dgmchina.com.cn

E-mail: test@dgmchina.com.cn



Ite	目编号 m No.	SEKSZ202101161628		生效日期 Effective Date	2021.01.17		
鉴别目的 Identification Purpose		是否属于运输危险物品 Dangerous Goods or not restricted		鉴别日期 Identification Date	2021.01.16-2021.01.17		
	削依据 tion Criteria	IMDG CODE (Amdt 39-18)		//	N/Z		
中文名称 Name of Chinese 英文名称 Name of Goods Keyner of Chinese Keyner of Chinese		锂离子电池组 BL1880F6835661S5PG9T 3. 7V 9100mAh 33. 67Wh Lithium-ion Battery Pack BL1880F6835661S5PG9T 3.7V 9100mAh 33.67Wh					
	品信息 of Goods	(注: 单块电池的重量约为171.6g。该LCS201223170ASA,1.2米跌落测试报该电池的UN38.3试验概要由深圳立讯The goods are lithium ion batteries,black Model/Group: BL1880F6835661S5PG9 Number of batteries or cells per package Gross weight of each package:9.80kg Cells or batteries only	告由深圳立讯检测 检测股份有限公司 c,cuboid,Size:183.3 T	股份有限公司出具,报' 出具,详见附页。	「限公司出具,报告编号: 告编号: LCS201223170ASB。)		
		(注: 单块电池的重量约为171.6g。该LCS201223170ASA,1.2米跌落测试报该电池的UN38.3试验概要由深圳立讯和The goods are lithium ion batteries,black Model/Group: BL1880F6835661S5PG9 Number of batteries or cells per package Gross weight of each package:9.80kg Cells or batteries only	告由深圳立讯检测 检测股份有限公司 c,cuboid,Size:183.3: T :50 pieces	股份有限公司出具,报' 出具,详见附页。	「限公司出具,报告编号: 告编号: LCS201223170ASB。)		
		(注: 单块电池的重量约为171.6g。该LCS201223170ASA,1.2米跌落测试报该电池的UN38.3试验概要由深圳立讯The goods are lithium ion batteries,black Model/Group: BL1880F6835661S5PG9 Number of batteries or cells per package Gross weight of each package:9.80kg Cells or batteries only	告由深圳立讯检测 检测股份有限公司 c,cuboid,Size:183.3: T :50 pieces	股份有限公司出具,报' 出具,详见附页。	「限公司出具,报告编号: 告编号: LCS201223170ASB。)		
Nature		(注: 单块电池的重量约为171.6g。该LCS201223170ASA,1.2米跌落测试报该电池的UN38.3试验概要由深圳立讯和The goods are lithium ion batteries,black Model/Group: BL1880F6835661S5PG9 Number of batteries or cells per package Gross weight of each package:9.80kg Cells or batteries only	告由深圳立讯检测 检测股份有限公司 c,cuboid,Size:183.3: T :50 pieces	股份有限公司出具,报' 出具,详见附页。	「限公司出具,报告编号: 告编号: LCS201223170ASB。)		
Nature	of Goods 引结论	(注: 单块电池的重量约为171.6g。该LCS201223170ASA,1.2米跌落测试报该电池的UN38.3试验概要由深圳立讯和The goods are lithium ion batteries,black Model/Group: BL1880F6835661S5PG9 Number of batteries or cells per package Gross weight of each package:9.80kg Cells or batteries only 非限制性 (Not subject to these Running State of the	告由深圳立讯检测 检测股份有限公司 c,cuboid,Size:183.3: T :50 pieces	股份有限公司出具,报' 出具,详见附页。	「限公司出具,报告编号: 告编号: LCS201223170ASB。)		
Nature	of Goods 引结论	(注:单块电池的重量约为171.6g。该LCS201223170ASA,1.2米跌落测试报该电池的UN38.3试验概要由深圳立讯打he goods are lithium ion batteries,black Model/Group: BL1880F6835661S5PG9 Number of batteries or cells per package Gross weight of each package:9.80kg Cells or batteries only 非限制性 (Not subject to these RUN 编号(UN No.): 运输专用名称(PSN)	告由深圳立讯检测 检测股份有限公司 c,cuboid,Size:183.3: T:50 pieces	股份有限公司出具,报' 出具,详见附页。	「限公司出具,报告编号: 告编号: LCS201223170ASB。)		
Nature Cond	of Goods 引结论	(注:单块电池的重量约为171.6g。该LCS201223170ASA,1.2米跌落测试报该电池的UN38.3试验概要由深圳立讯打he goods are lithium ion batteries,black Model/Group: BL1880F6835661S5PG9 Number of batteries or cells per package Gross weight of each package:9.80kg Cells or batteries only 非限制性 (Not subject to these RUN 编号(UN No.): 运输专用名称(PSN) 危险货物类别(Class or Div.)	告由深圳立讯检测 检测股份有限公司 c,cuboid,Size:183.3: T:50 pieces egulations) / / / /	股份有限公司出具,报" 出具,详见附页。 ×66.1×7.6 mm.	「限公司出具,报告编号: 告编号: LCS201223170ASB。)		

	目编号 m No.	SEKSZ202101161628	
物品名称	中文名称 Name of Chinese	锂离子电池组 BL1880F6835661S5PG9T 3.7V 9100mAh 33.67Wh	
Name of Goods	英文名称 Name of English	Lithium-ion Battery Pack BL1880F6835661S5PG9T 3.7V 9100mAh 33.67Wh	
•		鉴别项目名称 Item	检验结果 Inspection Result
	瓦特小时数为 ating of the bat	g 33. 67 Wh. ttery is 33.67 Wh.	≤100Wh
Each battery	过 UN38.3 测is of a type pr Part III,sub-se	roved to meet the Requirements of each test in the UN MANUAL OF TESTS AND	符合 Conform
		under a quality management programme.	符合 Conform
The lithium	batteries don't	thium batteries being shipped for recycling or disposal.	符合 Conform
	1.2 米跌落	试验。 f withstanding a 1.2m drop test in any orientation.	符合 Conform
包装件需要	按照特殊规定	E188的要求进行适当标记。 opriately marked according to special provision 188.	符合 Conform
每票托运货 包装件内装 必须小心操 包装件破损	物均有随附文 锂离子电池或作。如包装作 时应采取的特	C件说明:	CHINA
the package the package special proc if necessary	nment is accor contains lithiu must be handl edures should ; and	mpanied with a document with an indication that: am ion cells or batteries; ded with care, and that a flammability hazard exists if the package is damaged; be followed in the event the package is damaged, to include inspection and repacking ditional information.	不适用 Not applicable
/			
/	//>		/














CRESTRON TST-902-BTP

MODEL/P/N: BL1880F6835661S5PG9T
LITHIUM-ION BATTERY PACK WITH BUILT-IN
PROTECTION CIRCUIT, FUEL GAUGE VBAT: 3.7Vdc CAPACITY: 9.1Ah

WATT-HOUR: 33.67Wh

IEC DESIGNATION: 11CP7/35/66-5 CAUTION:





UN38.3 Test Summary

UN38.3试验概要

		and the second second second second	ny Information 公司信息				
Applicant's Name	GlobTek,Inc.						
申请商	186 Veterans Dr. Northvale, NJ 07647 USA						
	Huizhou PowerOak Innovation Co., Ltd. 惠州市新明海科技有限公司						
Manufacturer 制造商	1st, 2nd, 4th &5th F1(No.1 Workshop)Longsheng 5th Road, Laoshe Village, Dayawan West Zone, Huizhou City, Guangdong province, P. R. China 中国广东省惠州市大亚湾西区老輋村龙盛五路(1号厂房)一、二、四、五楼						
//>	Website 网址 www.g		w.globtek.com				
			6-512-62790301- 1	Email addr 邮件地址		demon.zhou@globtek.c	
	Shenzhen LCS Com 深圳立讯检测股份有	Appropriate the second	sting Laboratory I	-td.		72 7 (3)	
Test Laboratory 测试实验室	Room 101, 201 Building A and 301 Building C, Juji Industrial Park, Yabianxueziwei, Shajin Street, Baoan District, Shenzhen, Guangdong, China 广东省深圳市宝安区沙井街道衙边学子围巨基工业园A栋101、201,C栋301						
	Website 网址	http:// www.lcs-cert.com		Email address 邮件地址		webmaster@lcs-cert.com +(86) 0755-8259 1332	
	Telephone Number 联系电话	+(86) 0755-8259 1330		Fax 传真			
			Information 已池信息				
Sample name 样品名称	Lithium-ion Batte 锂离子电池		Trade Ma 商标	rk	(GlobTek, Inc.	
Samples Model 样品型号	BL1880F6835661	IS5PG9T	Description Rechargeable Li-ion Bat 可充电锂离子电池				
Nominal voltage 标称电压	3.7V	11	Capacity 容量	1	\ \ \/.	00mAh, 33.67Wh	
Weight 重量	171.6g	INA MA	Lithium con 锂含量	tent		7,1	
王王			江口王				

立讯检测股份 LCS Testing Lab

		nformation 试信息	
UN Report UN报告号	LCS201223170ASA	Date of test report UN报告签发日期	2021.01.11
Standard 标准	Dangerous Goods, Manual of Te	Revised Edition of the Recommenda est and Criteria(ST/SG/AC.10/11/F 建议书试验和标准手册》第七修订版	Rev.7, Section 38.3)
.1 Altitude simulation 高度模拟	PASS 合格	T.5 External short circuit 外短路测试	PASS 合格
T.2 Thermal test 耐热测试	PASS 合格	T.6 Crush/ Impact 挤压/撞击	PASS 合格
T.3 Vibration 振动	PASS 合格	T.7 Overcharge 过度充电	PASS 合格
T.4 Shock 冲击	PASS 合格	T.8 Forced discharge 强制放电	PASS 合格
38.3.3 (f)	N/A 不适用	38.3.3(g)	N/A 不适用
AL DAZ CO.	40 50 60 70	品图片	
01.007.00	20 30 40 50 60 70	用国力	
AIRAJ	1.0 2.0 3.0 40 50 60 70 80 50 100 10 20 30 40 50 60 70 mile	BENDOOFLIED OS OE OA OE OA OE	O 6 O-C HIMP

This UN38.3 test summary is based on the satisfactory testing of the sample under test, which excludes the evaluation of other samples of the same series of the samples. This summary must be used in conjunction with the test report. 本UN38.3试验概要基于受试样品检测合格作出的,它不包括对该样品其他同系列样品的评价,本概要必须与相关的测试报告同时使用。

End of report