



Ref. Certif. No.

SE-83914

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

SYSTEME CEI D'ACCEPTATION MUTUELLE DE CERTIFICATS D'ESSAIS DES EQUIPEMENTS ELECTRIQUES (IECEE) METHODE OC

CB TEST CERTIFICATE

CERTIFICAT D'ESSAI OC

Product
Produit

ITE POWER SUPPLY

Name and address of the applicant
Nom et adresse du demandeur

GlobTek, Inc.
186 Veterans Drive Northvale, NJ 07647 USA

Name and address of the manufacturer
Nom et adresse du fabricant

Same as applicant


Name and address of the factory
Nom et adresse de l'usine
Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{ème} page

See page 2

Ratings and principal characteristics
Valeurs nominales et caractéristiques principales

Input:100-240Vac, 50-60Hz, 1.0A
Output: 8-48Vdc, Max 5.06A

Trademark (if any)
Marque de fabrique (si elle existe)

 (G GlobTek, Inc.)

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais constructeur

-

Model / Type Ref.
Ref. De type

GT-43006-***-T*

Additional information (if necessary may also be reported on page 2)
Les informations complémentaires (si nécessaire, peuvent être indiqués sur la 2^{ème} page)

See page 2

A sample of the product was tested and found to be in conformity with
Un échantillon de ce produit a été essayé et a été considéré conforme à la

IEC 60950-1:2005+A1+A2
(EN 60950-1:2006+A11+A1+A12+A2)

As shown in the Test Report Ref. No. which forms part of this Certificate
Comme indiqué dans le Rapport d'essais numéro de référence qui constitue partie de ce Certificat

160601646SHA-001

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de Certification

Intertek Semko AB
Box 1103
SE-164 22 Kista, Sweden
Int +46 8 750 00 00

Date: 20 July 2016



Signature:

Gary Hu

**Factories
Les usines**

GlobTek, Inc.
186 Veterans Drive Northvale, NJ 07647 USA

GlobTek (Suzhou) Co., Ltd.
Building 4, No.76, Jin Ling East Road, Suzhou Industrial Park, Suzhou JiangSu 215021, China

**Additional information (if necessary)
Information complémentaire (si nécessaire)**

National differences for Korea, Canada, United States of America, China, Australia, New Zealand and Japan have been checked.

Explanation for model designation GT-43006-***-T*:

The 1st "*" denotes the rated output wattage, with a value of "1" to "40.5",

The 2nd "*" denotes the standard rated output voltage designation, with a value of "15", "24", "48",

The 3rd "*" is optional deviation, subtracted from standard output voltage, which can be "-0.1" to "-23.9" with interval of 0.1, or blank to indicate no voltage different,

The 2nd and 3rd together denote the output voltage, with a range of 8-48Vdc

The last "*" can be 2 or 3 or 3A, 2 means C8 inlet type, 3 means C14 inlet type, 3A means C6 inlet type.

The typical model designations and ratings are detailed as follows:

	Output Voltage	Max.Output Current	Max.Output Wattage
GT-43006-*15*-T*	8-15Vdc	5.06A	40.5W
GT-43006-*24*-T*	15.1-24Vdc	2.68A	40.5W
GT-43006-*48*-T*	24.1-48Vdc	1.68A	40.5W

Date: 20 July 2016

Signature: 