

IEC**IECEE**
CB
SCHEME

Ref. Certif. No.

SE-75811IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST
CERTIFICATES FOR ELECTRICAL EQUIPMENT
(IECEE) CB SCHEMESYSTEME CEI D'ACCEPTATION MUTUELLE DE
CERTIFICATS D'ESSAIS DES EQUIPEMENTS
ELECTRIQUES (IECEE) METHODE OC**CB TEST CERTIFICATE****CERTIFICAT D'ESSAI OC**Product
Produit

ITE Power supply

Name and address of the applicant
Nom et adresse du demandeurGlobTek, Inc.
186 Veterans Drive, Northvale NJ 07647
USAName and address of the manufacturer
Nom et adresse du fabricant

Same as above

Name and address of the factory
Nom et adresse de l'usine

See page 2

Note: When more than one factory, please report on page 2
Note: Lorsque il y plus d'une usine, veuillez utiliser la 2^{ème}Ratings and principal characteristics
Valeurs nominales et caractéristiques principalesInput: 100-240V~, 50-60Hz, 0.6A;
Output: 5-48V, Max.18W
See also page 2Trademark (if any)
Marque de fabrique (si elle existe)

GlobTek

Type of Manufacturer's Testing Laboratories used
Type de programme du laboratoire d'essais
constructeur

-

Model / Type Ref.
Ref. De type

GT*41080-****

Additional information (if necessary may also be
reported on page 2)
Les informations complémentaires (si nécessaire,
peuvent être indiqués sur la 2^{ème} page)

See page 2

A sample of the product was tested and found
to be in conformity with
Un échantillon de ce produit a été essayé et a été
considéré conforme à laIEC 60950-1:2005 and A1Group and national differences for
CENELEC countries (EN 60950-1:2006 and A11+A1+A12)As shown in the Test Report Ref. No. which forms part
of this Certificate
Comme indiqué dans le Rapport d'essais numéro de
référence qui constitue partie de ce Certificat

140200043SHA-002

This CB Test Certificate is issued by the National Certification Body
Ce Certificat d'essai OC est établi par l'Organisme National de CertificationIntertek Semko AB
Box 1103
SE-164 22 Kista, Sweden
Int +46 8 750 00 00

Date: 3 April 2014

Intertek

Signature:

Gary Hu

**Factories
Les usines**

GlobTek, Inc.
186 Veterans Dr. Northvale, NJ 07647 USA

GlobTek (Suzhou) Co., Ltd
Building 4, No. 76, Jin Ling East Rd., Suzhou Industrial Park, Suzhou, JiangSu 215021, China

**Additional information (if necessary)
Information complémentaire (si nécessaire)**

National differences for AU, CA, CN, JP, KR, SG and US have also been checked.

Model Similarity:

GT*41080-****:

The 1st "*" part can be 'M' or 'L' or 'H' for market identification and not related to safety.

The 2nd "*" part denotes the rated output wattage designation, which can be "01" to "18", with interval of 1.

The 3rd "*" part denotes the standard rated output voltage designation, which can be "07", "11", "17.9", "30", "38" and "48". Each standard rated output voltage designation corresponds to a transformer model. Each transformer model is identical in insulation construction including clearance and creepage except number of turns per coil.

The 4th "*" part is optional, which can be "-0.1" to "-12" with interval of 0.1 to denote voltage deviation or blank to indicate no voltage different. The result by subtracting the deviation value from the standard rated output voltage denotes the rated output voltage, with a range of 5 - 48 volts.

The 5th "*" part is also optional, which can be "-F" to denote open frame power supply model series or blank to denote direct plug-in power adapter model series.

Tests were performed on 5Vdc/3A output adapter model and 48Vdc/0.375A output adapter model as worst condition, and also performed on other output models for reference. For open frame model, temperature testing, leakage current test and mechanical strength test shall be performed on this component when installed in the end product.

Model list:

Model	Rated output voltage range	Max. rated output current	Max. rated output power	Transformer model
GT*41080-*07**	5-7Vdc	3.6A	18W	XF00514
GT*41080-*11**	7.1-11Vdc	2.53A	18W	XF00550
GT*41080-*17.9**	11.1-17.9Vdc	1.62A	18W	XF00579
GT*41080-*30**	18-30Vdc	1.0A	18W	XF00590
GT*41080-*38**	30.1-38Vdc	0.60A	18W	XF00682A
GT*41080-*48**	38.1-48Vdc	0.47A	18W	XF00682

Date: 3 April 2014

Signature: 