



Reference No. : WTX23X06126280E
 Applicant : GlobTek, Inc.
 Address : 186 Veterans Dr. Northvale, NJ 07647 USA
 Manufacturer : 1: GlobTek, Inc. 2: GlobTek (Suzhou) Co., Ltd
 1: 186 Veterans Dr. Northvale, NJ 07647 USA
 Address : 2: Building 4, No. 76, Jin Ling East Rd., Suzhou
 Industrial Park, Suzhou, JiangSu 215021, China
 Product Name : Power Supply
 Trade Name : 
 Model(s) : See Model List
 Ratings : Refer to the test report

Test Standards:

EN 60601-1-2:2015+A1:2021

EN 60601-1-2: Medical electrical equipment – Part 1-2: General requirements for basic safety and essential performance – Collateral standard: Electromagnetic compatibility – Requirements and tests



The statement is based on a single evaluation of the sample of above mentioned product(s). It does not imply an assessment of the whole production.

Waltek Testing Group (Shenzhen) Co., Ltd.

Tel: +86-755-3366 3308

Fax: +86-755-3366 3309

Http://www.waltek.com.cn

E-mail: sem@waltek.com.cn

ANNEX 1 TO ADDING MODEL



Certificate No. : WTX23X06126280E

Model List

GT*96180-***, GT*96300-***** and GT*91120-*******

GT*96180-***,**

The 1st “*” part can be ‘M’ or ‘-’ or ‘H’ for market identification and not related to safety.

The 2nd “*” denotes the rated output wattage designation, which can be “01” to “18”, with interval of 1.

The 3rd “*” denotes the standard rated output voltage designation, which can be “07”, “11”, “17.9”, “30”, “38”, “48”, “54” or “56”;

The 4th “*” is optional deviation, subtracted from standard output voltage, which can be “-0.01” to “-12.0” with interval of 0.01, or blank to indicate no voltage different.

The 3rd “*” and 4th “*” together denote the output voltage, with a range of 5 - 56 volts.

The 5th “*” = blank, it means wall plug in with interchangeable blade

=T2 means desktop class II with C8 AC inlet

=T2A means desktop class II with C18 AC inlet

=T3 means desktop class I or class II with functional earth with C14 AC inlet

=T3A means desktop class I or class II with functional earth with C6 AC inlet

The 6th “*” = Blank or -AP or -PP or -SP

-AP (with baby board) stands for Active POE (full IEEE compliant)

-PP (no baby board) stands for Passive POE

-SP (no baby board) stands for Simple POE

The last * denote any six character = 0-9 or A-Z or ()[] or - or blank for marketing purposes.

GT*96300-*** and GT*91120-*******

The 1st “*” part can be ‘M’ or ‘-’ or ‘H’ for market identification and not related to safety.

The 2nd “*” denotes the rated output wattage designation, which can be “01” to “36”, with interval of 1.

The 3rd “*” denotes the standard rated output voltage designation, which can be “07.5”, “10.5”, “14.5”, “19.5”, “24”, “36”, “48”, “54” or “56”;

The 4th “*” is optional deviation, subtracted from standard output voltage, which can be “-0.01” to “-11.9” with interval of 0.01, or blank to indicate no voltage different.

The 3rd “*” and 4th “*” together denote the output voltage, with a range of 5 - 56 volts.

The 5th “*” =T2 means desktop class II with C8 AC inlet

=T2A means desktop class II with C18 AC inlet

=T3 means desktop class I or class II with functional earth with C14 AC inlet

=T3A means desktop class I or class II with functional earth with C6 AC inlet

=R2 means hybrid desktop housing class II with C8 AC inlet

=R3A means hybrid desktop housing class I or class II with functional earth with C6 AC inlet

=F means Open Frame class I or class II with functional earth

=FW means Open Frame class II

=P2 means Encapsulated class II

=P3 means Encapsulated class I or class II with functional earth

Waltek Testing Group (Shenzhen) Co., Ltd.

Tel: +86-755-3366 3308

Fax: +86-755-3366 3309

Http://www.waltek.com.cn

E-mail: sem@waltek.com.cn

The 6th "*" = Blank or -AP or -PP or -SP

-AP (with baby board) stands for Active POE (full IEEE compliant)

-PP (no baby board) stands for Passive POE

-SP (no baby board) stands for Simple POE

The last * denote any six character = 0-9 or A-Z or ()[] or - or blank for marketing purposes.

Waltek Testing Group (Shenzhen) Co., Ltd.

Tel: +86-755-3366 3308

Fax: +86-755-3366 3309

Http://www.waltek.com.cn

E-mail: sem@waltek.com.cn