




Ref. Certif. No.
SE-91447

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product	Building-in ITE Power Supply
Name and address of the applicant	GlobTek, Inc. 186 Veterans Dr. Northvale, NJ 07647, USA
Name and address of the manufacturer	Same as applicant
Name and address of the factory <i>Note: When more than one factory, please report on page 2</i>	See page 2
Ratings and principal characteristics	Input: 100-240V~ or 100-277V~, 50-60Hz, 2.0A Output: 5-56VDC, Max. 8A, Max. 70W
Trademark (if any)	
Customer's Testing Facility (CTF) Stage used	-
Model / Type Ref.	GT*96700-*****
Additional information (if necessary may also be reported on page 2)	See page 2
A sample of the product was tested and found to be in conformity with	IEC 60950-1:2005+A1+A2
As shown in the Test Report Ref. No. which forms part of this Certificate	170702435SHA-001

This CB Test Certificate is issued by the National Certification Body

Intertek Semko AB
Box 1103
SE-164 22 Kista, Sweden
Int +46 8 750 00 00

Date: 24 July 2018

intertek

Signature:

Robin Xu



Factories

1. GlobTek, Inc.
186 Veterans Dr. Northvale, NJ 07647, USA
2. GlobTek (Suzhou) Co., Ltd.
Building 4, No. 76 JinLing East Road, Suzhou Industrial Park, Suzhou, JiangSu, 215021, China

Additional information (if necessary)

Group differences for GENELEC countries, and national differences for Singapore, Japan, China, Australia, New Zealand, Korea, United Kingdom, USA and Canada are considered.

Explanation of type designation GT*96700-****:

The 1st "*" part can be 'M' or '-' or 'H' for market identification and not related to safety.

The 2nd "*" can be B or C and is related to PCB size: B=2"x4", C=3"x5".

The 3rd "*" denotes the rated output wattage designation, which can be "01" to "70", with interval of 1W.

The 4th "*" denote the standard rated output voltage designation, which can be "05" to "56" or "5.0" to "56.0" in 0.1V increments.

The 5th "*" can be -F or -FW, -F means Class I, -FW means Class II.

The last * denote any six character, which can be 0-9 or A-Z or ()[] or - or blank for marketing purposes.

Model List:

Model	Input	Output voltage (Vdc)	Output current (A)	Max. output power (W)
GT*96700-****	100-240V~ or 100-277V~, 50-60Hz, 2.0A	5-8.9Vdc	8.00A	49W
		9-44Vdc	5.42A	65W
		44.1-56Vdc	1.48A	70W

Date: 24 July 2018

Signature:

