



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO.: 2018010907116374

NAME AND ADDRESS OF THE APPLICANT

GlobTek,Inc.
186 Veterans Dr. Northvale, NJ 07647 / USA

NAME AND ADDRESS OF THE MANUFACTURER

GlobTek,Inc.
186 Veterans Dr. Northvale, NJ 07647 / USA

NAME AND LOCATION OF THE FACTORY

GlobTek (Suzhou) Co.,Ltd.
Building 4, No. 76 JinLing East Road,Suzhou Industrial Park, Suzhou, JiangSu, China.

PRODUCT NAME,MODEL AND SPECIFICATION

ITE POWER SUPPLY
See appendix (Altitude up to 5000m , Sale without cord set)

STANDARDS AND TECHNICAL REQUIREMENTS FOR THE PRODUCTS

GB 17625.1-2022 (Class A) ;GB 4943.1-2022;GB/T 9254.1-2021
This is to certify that the above mentioned product(s) complies with the requirements of
implementation rules for compulsory certification(REFNO. CNCA-C09-01:2023).

Valid from: Mar.04,2024 **Valid until:** Oct.24,2027

Date of original issued: Sep.20,2018

The certificate information and validity could be checked by scanning the QR code below or logging in to
the website of the issuing authority, or on the website of the CNCA (www.cnca.gov.cn).

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P



SIGNATURE:

谢肇煦



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.





CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，不得单独使用
This translated document does not have legal validity and cannot be used in isolation

CERTIFICATE NO. : 2018010907116374

Appendix : Page 1 of 2

GT*96180-**-***

The 1st “*” part can be ‘M’ or ‘-’ or ‘H’ for market identification and not related to safety.

The 2nd “*” denotes the rated output wattage designation, which can be “01” to “18”, with interval of 1.

The 3rd “*” can be “30-12.0”, “30-6.0”, “38-2.0”, “48”, “54” or “56”, denotes the output voltage ,which can be “18”, “24”, “36”, “48”, “54” or “56”;

The 4th “*”denotes different appearance, which can be T2 or T2A or R2 ;

The 5th “*” = -AP or -PP or -SP

-AP (with baby board) stands for Active POE (full IEEE compliant)

-PP (no baby board) stands for Passive POE

-SP (no baby board) stands for Simple POE

The last * denote any six character = 0-9 or A-Z or ()[] or – or blank for marketing purposes.

Input: 100-240Vac, 50-60Hz, 0.6A

Output :

Model	Output Voltage	Max. Output Current	Max. Output Power
GT*96180-*30-12.0-T2/T2A/R2-AP/PP/SP*	18Vdc	1.0A	18W
GT*96180-*30-6.0-T2/T2A/R2-AP/P/SP*	24Vdc	0.75A	18W
GT*96180-*38-2.0-T2/T2A/R2-AP/P	36Vdc	0.5A	18W

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.



CERTIFICATE FOR CHINA COMPULSORY PRODUCT CERTIFICATION

本翻译文件不具有法律效力，
不得单独使用
This translated document
does not have legal validity and
cannot be used in isolation

CERTIFICATE NO. : 2018010907116374

Appendix : Page 2 of 2

P/SP*			
GT*96180-*48-T2/T2A/R2-AP/PP/SP *	48Vdc	0.375A	18W
GT*96180-*54-T2/T2A/R2-AP/PP/SP *	54Vdc	0.33A	18W
GT*96180-*56-T2/T2A/R2-AP/PP/SP *	56Vdc	0.32A	18W

This page is attached to the certificate and should be used at the same time as the certificate page.



中国质量认证中心
CHINA QUALITY CERTIFICATION CENTRE

CHINA QUALITY CERTIFICATION CENTRE CO., LTD.